

Order Picker Forklift | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Order Picker Forklift

| | | |
|-------------------------------------|----------------|--------|
| Business Name: [Company Name] | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | |
| Contact Person: | Phone: [Phone] | Email: |

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PROJECT MANAGER OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

| | | |
|------------|--------|-------|
| Full Name: | | |
| Signature: | Title: | Date: |

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

| | | |
|------------|--------|--------|
| Full Name: | Title: | Phone: |
|------------|--------|--------|

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

| NAME | SIGNATURE | DATE |
|---|-----------|------|
| <p>Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, to conduct a risk assessment of those hazards and then to further take steps to either eliminate or control each hazard.</p> | | |
| <p>If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.</p> | | |
| <p>Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.</p> | | |
| <p>The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.</p> | | |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|--|--|
| Client: | SCOPE OF WORKS Provide a detailed description of the specific work being carried out (otherwise known as scope of works). |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Project Manager Signature: | |
| Date SWMS supplied to Project Manager: | |

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

| | |
|---|---|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters. | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping. |
| <input type="checkbox"/> is carried out on a telecommunication tower. | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines. |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing. | <input type="checkbox"/> is carried out on or near energised electrical installations or services. |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure. | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere. |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos. | <input type="checkbox"/> involves tilt-up or precast concrete. |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary supports to prevent collapse. | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. |
| <input type="checkbox"/> is carried out in or near a confined space. | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant. |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives. | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature. |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning. | <input type="checkbox"/> involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

| | | | | | | | |
|---------------------------------------|---------------------------------------|---|------------------------------------|---|--|----------------------------------|-------------------------------------|
| <input type="checkbox"/> Forklift | <input type="checkbox"/> Crane/s | <input type="checkbox"/> Hoist/s | <input type="checkbox"/> Excavator | <input type="checkbox"/> Backhoe/Loader | <input type="checkbox"/> Boom Lift | <input type="checkbox"/> EWP | <input type="checkbox"/> Genie Lift |
| <input type="checkbox"/> Trencher | <input type="checkbox"/> Drilling Rig | <input type="checkbox"/> Trucks | <input type="checkbox"/> Formwork | <input type="checkbox"/> Bobcat | <input type="checkbox"/> Flammable Gas | <input type="checkbox"/> Fuel | <input type="checkbox"/> Dozer |
| <input type="checkbox"/> High Voltage | <input type="checkbox"/> Mulcher | <input type="checkbox"/> Tilt-up Panels | <input type="checkbox"/> Roller | <input type="checkbox"/> Scissor Lift | <input type="checkbox"/> Tractor | <input type="checkbox"/> Other - | |

| RISK MATRIX | | | | | | | | | | |
|----------------|---------------|------------|------------|---------|--------------|-------------|-----------------------------------|--|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEIRARCHY OF CONTROLS | | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. | | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. | | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard | | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard. | | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records | Administrative Change the work. | | |
| | | | | | | | | PPE | | |

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

| PERSONAL PROTECTIVE EQUIPMENT (PPE) | | | | | | | | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PROTECTION | EYE/FACE PROTECTION | RESPIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Struck by moving vehicle, Injuries from pre-use checks | 3H | <ul style="list-style-type: none"> - Establish a safety exclusion zone around the work area to prevent unauthorised access and potential accidents with moving vehicles. - Install warning signs and barriers to further reinforce the safety exclusion zone and caution others of the ongoing operation. - Ensure that all operators are adequately trained and have valid licenses to operate an Order Picker Forklift. - Implement a daily pre-use inspection routine, where any potential issues or defects in the forklift are reported and rectified immediately. - Keep the operating environment clean and free from any hazards like spills, clutter, or debris. - Use high visibility vests or other personal protective equipment (PPE) to make sure work areas are clearly visible at all times. - Regularly review and update the Safe Working Method Statement (SWMS) to include new potential hazards and safety procedures. - Encourage clear and constant communication within the team, especially when the forklift is operational. - Increase warm up activities or stretches before commencing work to reduce the risk of physical injuries. - Provide regular breaks to counter fatigue and maintain high concentration levels among operators. - Maintain good lighting conditions in the workspace to ensure clear visibility at all times. - Ensure that loads on the forklift are well-balanced and securely fastened to prevent any falling objects during operation. - Regularly service and maintain the Order Picker Forklift to ensure it's in the best possible working condition. | 2M | |
| 2. Pre-Operation Inspection | Forklift falls whilst elevated, Unexpected starting of machine | 4A | <ul style="list-style-type: none"> - Conduct pre-operational checks of the forklift including: tyres, brakes, steering, controls, warning devices, mast and reach mechanism, safety switch, guard, attachment and lift chain. - Make sure the forklift is not defective at any point before use. Any defects should be immediately reported to the supervisor, tagged as 'out of service', and not used until it is safe to operate. - Always perform a visual assessment of the surrounding environment before operating the forklift. Look out for obstructions, uneven surfaces and other potential hazards that might cause the machine to tip or fall. - Ensure that all workers are properly trained in the operation of an order picker forklift, including correct use and awareness of risk and safety procedures. | 3H | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|---|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <ul style="list-style-type: none"> - All operators should implement the unexpected start procedure (check if the area is clear, sound horn/start-up alarm) before starting the machine. - Use maintenance logs and checklists to monitor for recurring issues or anomalies that could contribute to unexpected starts or faults. - Enforce mandatory use of safety harnesses and other protective gear such as helmets and gloves while operating the order picker forklift. - Regularly review and update the Safe Work Method Statement (SWMS) and safety procedures to ensure they are current, comprehensive and effectively communicated to all workers. - Ensure that the emergency stop function is working correctly and that all operators know how to use it. - Install measures to prevent unauthorised use of the order picker forklift, such as key control systems or locks to prevent accidental or improper use. - Consider conducting regular toolbox talks to raise awareness about warehouse hazards, especially those associated with the use of machinery like order picker forklifts. | | |
| 3. Mounting and Dismounting | Slips, trips and falls, Injury from improper mounting/dismounting | 4A | <ul style="list-style-type: none"> - Workers should receive an appropriate level of training on how to safely mount and dismount from the order picker forklift. - Make sure the forklift is completely stationary before attempting to mount or dismount. - If required, use three points of contact (one hand and two feet, or two hands and one foot) when mounting/dismounting the picker. - Always face towards the equipment when climbing up or down, never jump or rush. - Check that the entry/exit routes are clear of tripping hazards before proceeding. - Workers should always wear suitable footwear with good grip to minimise slipping hazard. - Install suitable safety handles and non-slip tread on the steps of the order picker forklift. - Regular maintenance checks should be carried out to ensure safety features are functioning correctly. - The work area should be sufficiently lit to prevent accidents related to poor visibility. - Alert all workers operating in immediate vicinity about the imminent operation of the forklift. - Procedures should be in place to cope with any emergencies resulting from slips, trips, falls or injuries from improper mounting/dismounting from the order picker forklift. | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 4. Starting and Stopping | Vehicle runaway, Reversing and sight lines | 3H | [REDACTED] | 2M | |
| 5. Operation (General) | Collision with pedestrians, Fall of load | 4A | [REDACTED] | 3H | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|-----------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 6. Load Handling | Overturning, Crush injuries | 4A | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 7. Driving on slopes | Rollover, Loss of load | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 8. Parking | Unauthorised access, Unintended vehicle movement | 3H | [REDACTED] | 2M | |
| 9. Working at Heights | Falls from height, Falling objects | 4A | [REDACTED] | 3H | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|-------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 10. Lowering the Forks | Foot injuries, Tip over | 4A | | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 13. Fork Adjustments | Struck by forks, Uncontrolled horizontal movements | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------|---------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 14. Refuelling/Recharging | Fire/explosion, Electric shocks | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 15. Emergency Situations | Panic reactions leading to injuries, Ineffective response to emergency | 4A | [REDACTED] | 2M | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 16. Maintenance & Repair | Electrical faults causing fire/shocks, Injuries from incorrect repair procedure | 4 | [REDACTED] | 3H | |
| 17. Pedestrian Safety | Pedestrian collision, Falls into path of operating trucks | 4A | | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 18. Manual Handling | Musculoskeletal Disorders, Crush injuries from load handling | 3H | [REDACTED] | 1L | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 19. Noise Exposure | Loss of hearing, Distraction leading to other hazards | 2M | [REDACTED] | 1L | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---|----------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 20. Working in Environmental Conditions | Heat stress, Inadequate lighting | 3H | [REDACTED] | 2M | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011
 Work Health and Safety Regulations 2011
 Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>
 Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>
 Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>
 Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004
 Occupational Health and Safety Regulations 2017
 Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>
 Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011
 Work Health and Safety Regulations 2017
 Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>
 Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice>

Western Australia

Work Health and Safety Act 2020
 Work Health and Safety Regulations 2022
 Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>
 Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011
 Work Health and Safety (National Uniform Legislation) Regulations 2011
 Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplaces-and-laws>
 Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>
 Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

South Australia

Work Health and Safety Act 2012 (SA)
 Work Health and Safety Regulations 2012 (SA)
 Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>
 Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Model Codes of Practice


- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

Tasmania

Work Health and Safety Act 2012
 Work Health and Safety (Transitional and Consequential Provisions) Act 2012
 Work Health and Safety Regulations 2012
 Work Health and Safety (Transitional) Regulations 2012
 Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>
 Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 | <input type="checkbox"/> 7 |
|---------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|--|--------------------------|--------------------------|----------|
| The company details have been entered, including the project name and address. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Name, signature, position and date signed of the person approving the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Specific personnel and qualifications, experience is noted in the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Adequate risk assessment of any identified hazards has been completed. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Foreseeable hazards are identified and documented for each step. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Any hazards listed in any site risk assessments have been added to the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Check control measures added to the SWMS are the most effective solutions. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Responsible person is assigned and listed on the SWMS for the implementation of control measures. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc. | <input type="checkbox"/> | <input type="checkbox"/> | |
| SWMS identifies plant and equipment to be used. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Details of inspection checks required for any equipment listed are noted on the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Describes any mandatory qualifications, experience, training, skills required to perform the work. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Applicable personal protective equipment is selected on the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Lists any required permits or licenses. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Reflects and documents any legislative references and/or Australian Standards. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| REVIEWED BY | | DATE REVIEWED | |
| SIGNATURE | | DATE COMPLETED | |