Panel Saw Vertical SAFE WORK METHOD STATEMENT (SWMS)										
TASK OR ACTIVITY: Panel Saw Vertical										
Business Name: [Company Name]		ABN: [ABN]	SWMS#							
Business Address: [Company Address]										
Contact Person:	Phone: [Phone]	E gil:								
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P OF THE PROJECT								
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	ucting a business or undertaking (k BU) is	required to ture at a safe work method s	statement (SWMS) is prepared before							
Full Name:										
Signature:		Title:	Date:							
Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, well as reviews and modifications of the SWMS.										
Full Name:		Title:	Phone:							
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED		LL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND							
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditioned unical those hazards and then to further take steps to either conditioned or conditional hazard.	NAME	SIGNATURE	DATE							
If an incident or a near miss occurs, all work must successful unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.										
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.										
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.										



CLIENT OR PRINCIPAL CONTRACTOR DETAILS											
Client:					SCOPE OF WORKS						
Project Name:							rk being carried out (otherwise				
Project Address:			k	nown as scope of works).							
Project Manager:											
Contact Phone:											
Project Manager	Signature:										
Date SWMS supp	olied to Project Manag	er:									
		ANY HIG	H-RISK CON JUCI	N. JRK BEING	ARRIED OUT						
involves a risk of	a person falling more than	2 meters.		is carried out on or	near pressurised gas main	s or piping.					
is carried out on a	a telecommunication tower.			☐ is carried out on or near chemical, fuel or refrigerant lines.							
involves demolition	on of an element of a struct	ure that is load-be		is carried out on or near energised electrical installations or services.							
involves demolition	on of an element related to	the physical integrit of a s	17 e.	is carried out in an area that may have a contaminated or flammable atmosphere.							
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.							
involves structura	al alteration or repair that re	mporal upp to	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in o	r near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/n	ear a shaft or trench deepe	er than 1.5m or tunnel involv	ving use of explosives.	is carried out in areas with artificial extremes of temperature.							
is carried out in o	r near water or other liquid	that involves a risk of drow	ning.	involves diving wo	k.						
		ANY	HIGH-RISK MACHINE	RY OR EQUIPMENT	NEARBY						
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift				
Trencher	Drilling Rig	Trucks	Formwork	Bobcat	Flammable Gas	Fuel	Dozer				
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -					







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Falling objects, Trip hazards	2М	 Properly assess and organise the workspace to ensure there are no trip hazards, such as tools or cords lying around the area. Establish a well-defined work zone with clear condaries and restricted access for unauthorised personnel to prevent accident claused by falling objects. Provide appropriate personal protective equipment (a.c.) for all workers involved, including hard hats, safety goggles, and steel to unapped boots. Ensure that all materials are rquipment needed on the job or safely stored off the ground and secured to preven any chance of falling or terraing over. Conduct regular clause to get they be in gott working undition and free from any defects. Carry out a number of the preventing the brain of working undition and free from any defects. Carry out a number of the trip and plementing necessary control measures. Implient properting techniques when moving heavy materials or machinery, using necession clause they expectations and protocols with employees, providing or trips in media.ely, maintaining a clutter-free environment at all times. Clearly unsuct walkways and floors for potential trip hazards and clean up spills or the sase of risks associated with the latest best practices and ensuring at learn members are familiar with this procedure, knowing whom to contact and what steps need to be taken in the event of an incident. Regularly review and update safety protocols and control measures based on feedback gathered from workers and adjust them as needed to be more effective in reducing risk. 	1L	
2. Equipment inspection	Improper functioning, Electrical hazards	2M	 Regular equipment inspection: Conduct periodic inspections to ensure the panel saw vertical is in proper working order and identify any potential issues early on. Operator training: Ensure all operators have completed appropriate training programs and are familiar with safety protocols for using the panel saw vertical. Lockout/tagout procedures: Implement lockout/tagout procedures when performing maintenance or repairs, making sure the equipment is powered off and locked out to prevent accidental energising. Electrical grounding: Ensure proper electrical grounding to minimise the risk of electrical hazards during operation. Correct power supply: Verify that the panel saw vertical is being supplied with the correct voltage, as specified by the manufacturer, to avoid malfunctions and possible electrical hazards. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Emergency stop button: Make sure the panel saw vertical has a functioning emergency stop button that is easily accessible to operators during use.		
			- Blade guards: Inspect blade guards for damage in make sure they are in place and properly secured before operating the part aw vertical.		
			- Safety signage: Display clear and conspire us safety signage indicating hazards associated with the use of the panel saw verice 1, such as electrical risks and moving parts.		
			- Cable management: Keep cables and wires in the organized and secure, preventing potential trip hazar, for damage to elected at a ponents.		
			- Personal protection equipment (TE): Ensure all operators wear appropriate PPE, including safet masses, en protection, and global, to minimise exposure to potential haz is while operating the onel or vertical.		
			- Too and accessories used in conjunction with a conjunction and second accessories used in conjunction with a connel saw vertical, ensuring they are in good working condition and conjunction be with the saw's specifications.		
			- Works ace manisary: Keep workspaces clean and organised to minimise the risk of a liden, maused by clutter or misplaced items.		
	1		- In elent eporting. Encourage operators to report any concerns or incidents related to the particular saw vertical immediately to their supervisor, so necessary steps can be ken to readify the issue and maintain a safe working environment.		
	C		Personal Protective Equipment (PPE): Ensure all workers wear appropriate PPE, including safety gloves and eye protection to minimise the risk of injury during the setup process.		
	5		- Proper training: Provide thorough training to all operatives on the correct operation and setup procedures of the panel saw to avoid potential accidents.		
			 Pre-setup inspection: Conduct a thorough inspection of the panel saw before setting up, checking for any defects or damage that may pose a risk during operation. 		
3. Setting up panel saw	Crushing fingers, Lacerations	ЗH	- Secure footing: Make sure the panel saw is placed on a stable and level surface to prevent any unexpected movements or tipping while in use.	2M	
			- Safety guards: Ensure safety guards are installed and properly adjusted on the panel saw to protect operators from contact with the cutting blade.		
			- Clear workspace: Maintain a clean and clutter-free work area around the panel saw to reduce the risk of slips, trips, and falls during setup.		
			- Verification of all components: Verify that all components, such as clamps, controls, and guides, are functioning correctly and securely attached before operating the panel saw.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Lockout/tagout: Implement lockout/tagout procedures when setting up the panel saw to ensure that it cannot be accidentally turned on by another worker during the setup process.		
			- Two-person lifting techniques: Utilise two-person uffting techniques when moving heavy components during panel saw setup opervent crushing injuries or lacerations from dropped items.		
			- Use caution with sharp edges: Handle all blau security, and cutting materials carefully to avoid accidental lacerations during seco.		
			- Safe lifting techniques: Employoroper lifting technologication handling heavy machinery component pavoid chain-related injuries using setup.		
			- Work at a constrable heart: Adjust the pane'r w's working height if adjustable, ensuring that is at an apropriate lead for a operator to prevent ergonomic injuries		
			- Estance emerge procedures: Develop a clear plan for what to do in case of an emerge to, ituatio, such as a worker becoming injured or equipment malfun on, and e ure all operatives are aware of these procedures.		
	5				
4. Measuring materials	Incorrect measurements, Snarp edges	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Marking cuts	Miscommunication, Loster foor	1L		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Selecting saw blades	Sharp edges, Incorrect blade size	2M		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Positioning materials	Incorrect positioning, Piharanagers	1L		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	1				
8. Adjusting panel saw settings	Loose components, Strain Los	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Activating the panel saw	Sudden movement, Bodern in	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Making cuts	Kickback, Flying debris	ЗН		2М	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Moving cut materials	Strain injuries, Trip hazards	2М		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Cleaning up workspace	Slips and falls, Loose objects	1L		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

	REFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG	GISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Octopational Health and Safety Action 04 Octopational Health and Infetty orgulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulaters</u> Codes of mactice VICe <u>witps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation, 201, Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws	Safe Work Australia Links Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_sa.gov.au/work_saces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Dat		
			l te:		
			Date:		

SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to review the sure it remains revised if necessary) if relevant control measure are a conconsultation with workers (including contractors are subcontract of the SWMS and their health and safety representatives who re workplace.

ke sure it remains effective and must be reviewed (and acception of the process should be carried out in s any subcontract s) who may be affected by the operation esentatives who recented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWN			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the imement of cont, measures.			
Permit requirements specified, such as Hot Wey, Electrical Work, Verat Heights etc.			
SWMS identifies plant and equipment to be up t.			
Details of inspection checks required for any equipment listed approved on the SWMS.			
Describes any mandatory qualifications, experience vaining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
			·
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE COMPLETED		