


Pedestal Drill S	AFE WORK METHOD STA	TEMENT (SWMS)	
٦	TASK OR ACTIVITY: Pedestal Dri	II	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E jil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PL J OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are conditionally as a condition of the condition of the conditions are conditionally as a condition of the condition	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



	CLIENT OR PRINCIPAL CONTRACTOR DETAILS										
Client:						SCOPE OF WORKS					
Project Name:					Provide a detailed description of the specific work being carried out (otherwise known as cope of works).						
Project Address:											
Project Manager:											
Contact Phone:											
Project Manager Sig	nature:										
Date SWMS supplied to Project Manager:											
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT						
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on	is carried out on or near pressurised gas mains or piping.						
is carried out on a tel	ecommunication tower.		$H \cap H$	☐ is carried out on	or near chemical, fuel or refrig	erant lines.					
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on	arried out on or near energised electrical installations or services.						
☐ involves demolition o	f an element related to the	physical integrit of a str	9	is carried out in	is carried out in an area that may have a contaminated or flammable atmosphere.						
☐ involves, or is likely to	o involve, disturbing a	tos.		involves tilt-up or precast concrete.							
involves structural alt	eration or repair that re	inporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in or ne	ar a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	ng use of explosives.	is carried out in	areas with artificial extremes o	f temperature.					
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving v	vork.						
		ANY HI	IGH-RISK MACHINEF	RY OR EQUIPMEN	NT NEARBY						
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loade	r Boom Lift	□ EWP	☐ Genie Lift				
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer				
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -					





PER NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Implement a pre-use inspection and maintenance schedule for the Pedestal Drill to ensure it is in good working condition.		
			- Ensure appropriate materials and equipment—selected, matching the Pedestal Drill's capacity and limitations to prevent of pading or malfunctioning.		
			- Ensure all workers operating the Pedestal Large and ded with adequate training and hold necessary licenses or qualifications.		
			- Conduct a thorough risk as a sment prior to contend to to identify potential hazards related to material having and establish a trotto mitigate risks.		
			- Maintain clear control ion along team members regarding hazards and any changes in we processes in match is being to a.		
			- Utilise appropriate person protective priment (PPE) such as safety glasses, glove ar plug and ped-toe shoes		
			- Enfo exper line 1 techniques, including using mechanical aids when available, and activity to maximum load limits to avoid strain injuries while handling materials.		
1. Preparation	Incorrect materials, Insufficient maintenance	2M	- Impler nt a po-to-o. Material Safety Data Sheet (MSDS) system for storing, canagin, and coersing information on potential hazards related to materials in us.	1L	
		'	Set up rly marked designated areas for materials storage, keeping walkways workspaces clear of clutter to reduce the risk of trip hazards.		
			- Establish regular equipment checks and a preventive-maintenance programme to upkeep the Pedestal Drill and improve its lifespan.		
			 Enforce strict adherence to lockout/tagout procedures when performing any maintenance or repair work on the Pedestal Drill. 		
			- Verify that all guards and safety devices are in place on the Pedestal Drill before operation, and regularly inspect them to ensure their overall effectiveness.		
			- Ensure proper waste disposal and recycling practices are followed for all material remnants and debris generated during the drilling process.		
			-Create and enforce emergency response plans in case of unexpected incidents, including an effective evacuation plan, first aid support, and immediate reporting to supervisors.		
2. Personal Protective	Lack of safety gear, Inappropriate safety	ЗН	- Conduct a thorough risk assessment before starting the work to identify the appropriate Personal Protective Equipment (PPE) required for the specific task involving the pedestal drill.	1L	
Equipment	equipment		- Ensure that all workers operating or working in close proximity to the pedestal drill are provided with, and correctly wear, the suitable PPE, including safety goggles or face shields, earplugs or earmuffs, gloves, and steel-toe boots.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	PECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Verify that the supplied PPE meets the Australian Standards and is in good condition, properly fitting, and free from damage or wear that could compromise its effectiveness. - Regularly inspect and maintain PPE according to the manufacturer's recommendations and replace any damage or worn-out equipment immediately. - Provide proper training to workers on the capacity worn-out equipment immediately. - Provide proper training to workers on the capacity of the supplied PPE to ensure maximum safety. - Establish and enforce a strip workplace policy in prining the sandatory use of appropriate PPE during all stages of work involving as prossial drill. - Implement a budy of system which workers can check each other's PPE usage and compliance, encuraging a ulture shared remainshibility for each other's safety. - Keep an upper date inversing of avalant to the enditor of the requirement are readily availated. - Instalming a visible strange around the workstation to remind workers of the requirement of the system of the requirement of the system of the requirement of the proper periodical propers. - Les purases open communication among workers and supervisors regarding any sonce, a lated to PPE use, fit, or effectiveness, creating a supportive environment have everyone feels comfortable speaking up if they notice irregularities. - In orderesher training sessions periodically to reinforce the importance of proper PPE usage and keep workers informed about any updates or changes to regulations, standards, or best practices in workplace safety. - Incorporate routine checks for PPE compliance into daily supervisor rounds or toolbox talk topics, emphasising the role of proper safety equipment in preventing accidents and injuries. - Consistently enforce penalties or disciplinary actions for workers who fail to follow PPE protocols, demonstrating company-wide commitment to safety standards and adherence to safe work practices.	RESIDUAL RISK	PERSON NAME OF PERSON
3. Machine Setup	Loose mounting, Electrical hazards	зн	- Ensure that the pedestal drill is securely mounted to the floor or workbench to prevent movement during operation. - Verify that all nuts, bolts, and mounts on the pedestal drill are tightly fastened and well-maintained for safe operation. - Conduct regular maintenance checks on machine components, such as mounting brackets, pulleys, and belts, to identify potential issues before they become hazardous. - Always disconnect the pedestal drill from the power source when performing any setup or maintenance tasks to minimise the risk of electrical shock.	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Use tag-out and lock-out procedures to alert other workers that the equipment is being serviced, preventing unauthorised use and reducing electrical hazards. 		
			- Ensure proper grounding and connections according to local electrical codes and regulations to prevent electrical shock.		
			- Implement a routine inspection schedule theck for frond cords, damaged insulation or housing, loose wiring, and other tention ectrical hazards associated with the pedestal drill.		
		- Train all workers on how to operly operate and aintain the pedestal drill, including steps for safely setting the machine and economic potential hazards.			
			- Provide appropriate personal processes, gloves, and belong protection, for the kers operating or working nearby the pedestal drill.		
			- Keeping work to be commanded and well-organised, ensuring that cords and cables are manded roperly reverse trip hazards and minimise the risk of electrical accide is.		
			- Install men ncy sto buttons in easily accessible locations around the pedestal drill to enable witkers to quickly halt machine operation in case of a hazard or notification. Estate the lear communication processes between all workers using or working		
			ar the pidestal drill to coordinate setup, operation, and maintenance tasks safely. - Librorce a strict policy prohibiting tampering or modification of machine components, electrical systems, or mounting equipment, which can introduce new hazards or compromise existing safety controls.		
			- Continuously review and update your Safe Work Method Statements (SWMS) for pedestal drill use, ensuring that all control measures remain current and effective in minimising identified hazards.		
4. Drill Bit Selection	Improper drill bit size, Damaged drill bits	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Material Clamping	Unstable material placement, Unsecured material	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
6. Pre-drilling Checks	Inadequate lubrication, Worn safety features	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Drilling Process	Overheating, Manual handling injuries	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	NAME OF PERSON
8. Emergency Stops	Malfunctioning stops, Inaccessible emergency stop	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Tool Change	Unintentional operation, Improper tool change	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Post-drilling Operation	Debris on the worksite, Tripping hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Quality Check	Faulty final product, Sharp edges	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Cleanup and Maintenance	Insufficient cleaning, Missed maintenance checks	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES		RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor
				Date:			
				Date			
				L te:			
				Date:			
				Date:			
				Date:			
				Date:			
		SAF WO A	STATEMENT	MONITORING AND R	EVIEW		
The SWMS must be reviewed regularly to rake sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontracted, are review process should be carried out in consultation with workers (including contractors and subcontractes) who may be affected by the operation of the SWMS and their health and safety representatives who redesented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		D)	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWN			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effections.			
Responsible person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is as a sign of the SWMS for the imperent person is a sign of the SWMS			
Permit requirements specified, such as Hot Work, Veral Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	