

| Planetary Mixer | SAFE WORK METHOD STA | ATEMENT (SWMS) | |
|--|---|---|------------------------------------|
| TA | ASK OR ACTIVITY: Planetary Mix | er | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | | |
| Contact Person: | Phone: [Phone] | E fil: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE POST THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or undertaking (N 3U) is | required to ture at a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | ompliance of the SWMS well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | | LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks. | NAME | SIGNATURE | DATE |
| If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| | | CLI | ENT OR PRINCIPAL | CONTRACTOR D | ETAILS | | | |
|--|------------------------------|-------------------------------|----------------------|---|------------------------------------|-------------------------------|------------------------|--|
| Client: | | | | | | SCOPE OF WORKS | | |
| Project Name: | | | | | Provide a detailed description | n of the specific work being | carried out (otherwise | |
| Project Address: | | | | | known as cope of works). | | | |
| Project Manager: | | | | | | | | |
| Contact Phone: | | | | | | | | |
| Project Manager Sig | nature: | | | | | | | |
| Date SWMS supplie | d to Project Manager: | | | | | | | |
| | | ANY HIGH- | RISK CON PUCT | N' JRK BEING | CARRIED OUT | | | |
| ☐ involves a risk of a pe | erson falling more than 2 m | neters. | | is carried out on | or near pressurised gas mains | s or piping. | | |
| ☐ involves a risk of a person falling more than 2 meters. ☐ is carried out on a telecommunication tower. | | | | is carried out on | or near chemical, fuel or refrig | erant lines. | | |
| ☐ involves demolition o | f an element of a structure | that is load-be n. | | is carried out on | or near energised electrical in | stallations or services. | | |
| ☐ involves demolition o | f an element related to the | physical integrit of a str | 3. | is carried out in an area that may have a contaminated or flammable atmosphere. | | | | |
| ☐ involves, or is likely to | o involve, disturbing a | tos. | | ☐ involves tilt-up or | r precast concrete. | | | |
| involves structural alt | eration or repair that re | upp to p | prevent collapse. | is carried out on, | , in or adjacent to a road, railwa | ay, shipping lane or other to | raffic corridor. | |
| is carried out in or ne | ar a confined space. | | | is carried out in a | an area of a workplace where t | here is any movement of p | owered mobile plant. | |
| is carried out in/near | a shaft or trench deeper th | nan 1.5m or tunnel involvin | g use of explosives. | is carried out in a | areas with artificial extremes of | temperature. | | |
| is carried out in or ne | ar water or other liquid tha | t involves a risk of drowning | ng. | ☐ involves diving w | vork. | | | |
| | | ANY HI | IGH-RISK MACHINER | RY OR EQUIPMEN | IT NEARBY | | | |
| Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loader | ☐ Boom Lift | ☐ EWP | ☐ Genie Lift | |
| ☐ Trencher | ☐ Drilling Rig | ☐ Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer | |
| ☐ High Voltage | ☐ Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | Other - | | |





PERL NAL TECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PPOTECTION | PROTE | SPIRATORY P STECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|-------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | | A | | | | | | | | |
| | | | | | | | | | | | |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



4

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Electric shock, tripping hazards | 2M | Inspect electrical cords and plugs: Before commencing operations, ensure that all electrical cords and plugs connected to the planetary diversity and plugs connected to the planetary diversity. Ground Fault Circuit Interrupter (GFCI) use of dilise GFCI protected outlets or portable GFCI devices to prevent electric sinck caused of ground faults during the operation of the planetary mixer. Proper cable management: Aleatly arrange and occure cables of wires to restrict them from obstructing walkway and creating tripp. In haza. Workspace housely constituting walkway and creating tripp. In haza. Workspace housely constituting walkway and creating tripp. In haza. Workspace housely constituting walkway and creating tripp. In haza. Workspace housely constituting walkway and creating tripp. In haza. Workspace housely constituting tripp. In haza. Oper fors mix wear Ab static safety sets: The provision of anti-static safety should be walked to research the planetary mixer. Oper fors mix wear Ab static safety sets: The provision of anti-static safety should research to research the chances of electrostatic discharge causing an electric shock is higher. This could include the use of the planetary mixer is clean, properly assembled, and fitted correctly to limit any additional risks imposed by a faulty or unclean machine. Emergency Stop (E-Stop) access: Ensure that the planetary mixer's emergency stop button is accessible at all times so it can be activated quickly in case of emergencies, | 1L | |
| 2. Installation | Crushing injury, pinch points | 3H | Conduct a thorough risk assessment before the installation process, identifying all potential hazards and outlining necessary control measures for each hazard. Ensure that all workers involved in the installation process are adequately trained and well-versed with the functions of a planetary mixer, as well as installation procedures and safety guidelines specified by the manufacturer. | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|-------------------------------------|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Establish a clear and concise communication system among team members during installation to avoid miscommunication or errors that may lead to injuries. | | |
| | | | - Always wear appropriate personal protective equitment (PPE) such as gloves, safety shoes, and protective eyewear to minimize the risk of crushing injuries and other workplace hazards. | | |
| | | | - Utilise proper lifting techniques and mechanial aids an adequate load limits when moving and positioning heavy components of a material mixer during installation. | | |
| | | | - Ensure that all pinch points, sposed gears, changed and before are covered with guards or shields to reduce the sk of entanglement and sen injuries. | | |
| | | | - Install emergence operations a Nother safety features as per the manufacturer's guidelines in control of cation for quick consists in case of an emergency. | | |
| | | | - Inspect tools and equipment used in allation process regularly to ensure they are in good corking and the from defects or damages that may pose risks. | | |
| | | | Imple er and foll proper lockout/tagout procedures when working around electric systems to preent accidental energization of components during installation. | | |
| | • | | - Iwastain a clean and organised workspace throughout the installation process to education is so falls, trips, falls, and other accidents caused by cluttered vironments. | | |
| | | | - A ays follow the manufacturer's recommendations regarding safe distances and clearance areas around the planetary mixer once it is installed, ensuring proper maneuverability and access for maintenance tasks. | | |
| | 5 | | - Regularly monitor and review the effectiveness of the control measures in place, adjusting and updating them based on new risks that may arise during installation or subsequent operation. | | |
| | | | - Provide ongoing training and support for employees to ensure they remain aware of safety protocols and are confident in their ability to perform tasks safely, minimising the chance of workplace accidents related to the installation and use of a planetary mixer. | | |
| | | | - Develop a comprehensive pre-operation checklist to inspect all parts of the Planetary Mixer before each use, ensuring that no components are missing or damaged. | | |
| 3. Pre-operation inspection | Missing guarding, damaged equipment | 2M | - Conduct regular training sessions for operators on proper usage, inspection, maintenance procedures, and identification of potential hazards such as missing guarding or damaged equipment. | 1L | |
| | | | - Ensure that adequate guarding is in place to protect users from moving parts, pinch points, and other potential hazards associated with the mixer's operation. | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|-----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Implement a reporting system for instances where missing guards or damaged equipment are identified, allowing immediate action to repair or replace the affected parts before proceeding with operation. | | |
| | | | - Establish a schedule for periodic inspections a servicing by qualified technicians to identify any wear and tear on the equipment, thereby taking proactive measures to prevent potential hazards. | | |
| | | | - Utilise lockout/tagout procedures when repair odifications are made to the Planetary Mixer, ensuring that it is not operated done and inspected by a contract the person. | | |
| | | | - Maintain clear and warm labels displaying risks associated with inadequate guarges, dam led explanent, and proper personal protective equipment (Pagrequirem les. | | |
| | | | - Follow manuscriturer's covelines for a same meded maintenance practices and ensured any corrected modifications made to the equipment do not compared its structural integrity or safety features. | | |
| | | | - Creat any entory stem to track the age and usage of specific components within the Plan pary Min enabling proactive replacement and maintenance of parts one to pear a damage. | | |
| | 1 | | Regular, review and update risk management documentation pertaining to the glanetas, exer, including integrating new industry best practices and regulatory uirements into the Safe Work Method Statements (SWMS). | | |
| | | | - E. courage open communication channels for workers to voice concerns regarding equipment safety, fostering a workplace culture that prioritizes health and safety in everyday operations. | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Securing ingredients | Manual handling, slipping hazards | 2M | | 1L | |
| | | | | | |
| | | | | | |
| | | | | | |



7

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|----------------------------|-----------------|--|------------------|------------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | PERSON NAME OF PERSON |
| 5. Mixing process | Entanglement, moving parts | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|---------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 6. Equipment maintenance | Electrical hazards, working ant | ЗН | | 2M | |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 7. Cleaning tasks | Chemical exposure, slip and fall hazards | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------------|-----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 8. Hazardous waste disposal | Inhalation hazard, chemical burns | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 9. Breakdown support | Confined space, lockout/tagout failures | 4A | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 10. Transportation of mixer | Vehicle collisions, pedestrian injury | | | 1L | |



| DECIDIAN | JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---|---------------------|------------------------|-----------------|--|------------------|--------------------|
| 11. Unloading product Unload hazards, drop-off-mas 3H | SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | | RESIDUAL | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|--------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | | | RESIDUAL | |
| 12. Storage of product | Unsafe stacking, collapsing aterials | 21 | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/s

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Pos | sition | Signature | Date | Time | Supe | ervisor |
|---|----------|----------|-----------|--|-------|------|---------|
| | | | | Date: | | | |
| | | | | Date | | | |
| | | | | L te: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | SAF WO A | STATEMENT | MONITORING AND R | EVIEW | | |
| The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are a boundary process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who are essented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS. | | | | The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles. | | | |
| REVIEW NUMBER | <u> </u> | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 |
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
| | | | |
| The company details have been entered, including the project name and address. | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | P | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWI | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | |
| Check control measures added to the SWMS are the most effecting secutions. | | | |
| Responsible person is assigned and listed on the SWMS for the imperent of contameasures. | | | |
| Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc. | | | |
| SWMS identifies plant and equipment to be u d. | | | |
| Details of inspection checks required for any equipment listed at noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience reining skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Lists any required permits or licenses. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE R | EVIEWED | |
| SIGNATURE | DATE CO | MPLETED | |