Removal Of Deceased Ani	imals   SAFE WORK METH	IOD STATEMENT (SWMS)	
TASK OR	ACTIVITY: Removal Of Decease	ed Animals	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person condu the proposed work starts.	cting a business or under thing (Purly) is	required to entry of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring the	compliance of the SWI, was well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be schedued in according ewith egislative requirements to first identify any site hazards, and the to further take steps to either eliminate or contail each hazard.			
If an incident or a near miss occurs, all work must stude under the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	$\Box$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	$\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	$\Box$ is carried out in areas with artificial extremes of temperature.
$\Box$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	RARE       LOW       LOW       MODERATE       HIGH       HIGH       LOW       Kenrecorde       Isolate the hazard.         otes on Hierarchy of Controls:       Elimination methods are the most effective and preferrance en count of a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the law post entitive, while Administrative ontrols by changing the work is the fourth most effective method. PPE (Personal Proterive enuipment) is the least effective       Administrative work.									

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Exposure to pathogens, physical injuries from handling equipment	2M	<ul> <li>Ensure all personnel are trained in proportionandling techniques for deceased animals.</li> <li>Wear appropriate personal protective equivalent (PE concluding gloves, masks, and protective clothing.</li> <li>Use tools and equipment designed for hand to carcasses to reduce physical strain and risk of injury.</li> <li>Implement procedures for the safe disposal of the after andling deceased animals.</li> <li>Provide training operations in signs of exposure to pathogens and immediate response actions.</li> <li>Disinfect tools and equipment betwee and after dase.</li> <li>Establish a usignated at a for the toler on and temporary storage of deceased animals to minimise control ation.</li> <li>Use the training operations, such as trolleys or lifts, to move larger animals instead of manual handling.</li> <li>Conduct are assessment to identify any potential hazards in the removal area prior to starting work.</li> <li>Ensure nood untilation in the working area to reduce the concentration of airborne pathogens.</li> <li>Hue fin taid kits readily available and ensure there are trained first aiders on -site.</li> </ul>	1L
2. Identification of Animal	Incorrect identification leading to wrong handling procedures, zoonotic diseases	ЗН	<ul> <li>Insure all personnel are trained in identifying various deceased animals and proper handling projectures.</li> <li>Use appropriate personal protective equipment (PPE), including gloves, masks, and protective clothing.</li> <li>Implement a double-check system where two trained individuals confirm the identification of the animal.</li> <li>Maintain an up-to-date identification guide that includes images and descriptions of common and uncommon animals.</li> <li>Utilise electronic databases or apps designed to assist with animal identification.</li> <li>Establish and follow clear protocols for different types of deceased animals, based on size, species, and condition.</li> <li>Avoid direct contact with the animal whenever possible; use tools like tongs, shovels, or specialised lifting equipment.</li> <li>Conduct a thorough risk assessment prior to any handling or removal activities, focusing on zoonotic diseases associated with the specific animal.</li> <li>Regularly calibrate and maintain identification tools and equipment to ensure accuracy.</li> <li>Keep a record of past incidents and identifications for training and protocol improvement purposes.</li> <li>If uncertain about the identification, consult a veterinarian or local wildlife expert before proceeding with removal.</li> <li>Implement hygiene protocols, such as handwashing and sanitising equipment after each job.</li> </ul>	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul> <li>Inform nearby personnel of the identified risks and ensure they keep a safe distance from the work area.</li> <li>Prepare for and manage any potential exposure to zoonotic diseases by having medical kits and trained first aid personnel on standby.</li> </ul>	
3. Personal Protective Equipment (PPE) Use	Inadequate use or no PPE, exposure to biohazardous material	ЗН	<ul> <li>Ensure all workers are trained in the constituse and suppose of PPE</li> <li>Provide appropriate PPE such as gloves, hisk moots, and coveralls to all workers</li> <li>Regularly inspect PPE for times of wear and this replace is maged items immediately</li> <li>Implement a PPE checklist wave reviewed before the growth each day</li> <li>Enforce strict an energies of PPE to growth and the growth each day</li> <li>Have proteines for safely doning and doing PPE to prevent contamination</li> <li>Use whazaw tispost dags for use of PE, ensuring they are sealed and labelled correctly</li> <li>Estable designed areas for putting on and taking off PPE to contain potential contamination</li> <li>Make rank ranitists and washing facilities readily available for all workers</li> <li>Brief wirkers of the news associated with biohazardous materials and the importance of PPE</li> <li>In the anis mergeoricy plan in place for incidents involving PPE failure or exposure to biohazardous materials</li> </ul>	2M
4. Secure/Contain Animal	Physical contact with the animal, biohazardous waste, injuries from tools/improvised devices	ЗН		2M





Version 2.5









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Arrival at Disposal Site	Slip and fall hazards, faulty equipment	2М		
9. Unloading Animals From Vehicle	Risk of falling, improper postures/poor ergonomics	ЗН		2M

Version 2.5










Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Documentation	Poor data management and recording practices, eye strain from computer work	1L		1L
15. Debrief/Evaluate	Possibility of overlooking health issues surfaced during the process	1L		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
16. Training for Future	Exposure to repetitive actions leading to muscular strain, lack of competent skills leading to injuries	2М		1L
17. Reviews and Improvement in Procedures	Insufficiency in identifying newer risks, non-compliance with standards	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
18. Health Monitoring Post-Activity	Failure to detect early symptoms of diseases/health issues related to job, stress	210		1L 1L
19. Mental Health Monitoring	Stress and wellbeing overlooked, lack of healthy coping mechanisms	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Hazard report and reaction plan	Inefficiency in hazard identifications and missing out critical safety steps	2М		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			

#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STOLENAT ARE NOT APPLICABLE				
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acce004 Occupational Health and Safety Acce004 Legis vion VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- ogulations</u> Hes on Practice VI <u>outtps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>			
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library">https://www.safework.nsw.gov.au/legal-obligations/legis</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>			
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 200 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplate_fety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.presticates_practice</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>			
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/re_oplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes			
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>			
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>			

#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	$\boxtimes$	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	$\boxtimes$	
Check control measures added to the SWMS are the most effective sections.	$\boxtimes$	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	$\boxtimes$	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be	$\boxtimes$	
Details of inspection checks required for any equipment lister are noted on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\square$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMP	LETED