Removing Redundant Equi	pment   SAFE WORK MET	HOD STATEMENT (SWMS)	
TASK OR .	ACTIVITY: Removing Redundant	Equipment	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person condution the proposed work starts.	icting a business or under thing (Pu - U) is	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWI, was well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND ( THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in according e with egislative requirements to first identify any site hazards, and the to contract the those hazards and then to further take steps to either eliminate or contract leach hazard.			
If an incident or a near miss occurs, all work must store and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	$\Box$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	$\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	$\Box$ is carried out in areas with artificial extremes of temperature.
$\Box$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX								
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde	Engineering Isolate the hazard.
HORE       LOW       LOW       MODERATE       HIGH       HIGH       LOW       kto records       Isolate the hazard.         Notes on Hierarchy of Controls:       Elimination methods are the most effective and preferrence in column g a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the suppost en trive, while Administrative Controls by changing the work is the fourth most effective method.       PPE       PPE								

	PERS_NAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:					_					
	Permit or Licenses Requirements						Mandatory Qualifications and Training				




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Risk of electrocution, falling equipment	2M, 3H	<ul> <li>Conduct a thorough site inspection to identify all potential hazards associated with the redundant equipment.</li> <li>Ensure all workers involved have complete the populate training on electrical safety and hazard awareness.</li> <li>Isolate the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment being the verify using a lockout/tagout procedure.</li> <li>Use insulated to a subject the power supply to the equipment personal protective equipment such as rubber gloves and safety boots.</li> <li>Establish chart communication provide the coordinating tasks and potential emergency situations.</li> <li>Sectional equipment or danger tape around the work area to restrict unauthorised access.</li> <li>Develd an endotation plan and ensure all personnel are aware of emergency exits and procedures.</li> <li>She add work during times when fewer people are present to minimise potential exposure.</li> <li>Use signifie to clearly indicate electrical hazards and equipment removal in progress.</li> <li>Infy that load-rated lifting equipment is available and has been inspected before use.</li> <li>Engage qualified electricians to manage and disconnect electrical connections safely.</li> <li>Implement a buddy sy</li></ul>	1L, 2M
2. Disconnection and Isolation	Improper de-energising, using wrong tools	3H, 2M	<ul> <li>Ensure all personnel are trained and competent in de-energising procedures specific to the equipment being removed.</li> <li>Conduct a thorough risk assessment prior to commencement to identify potential energy sources that need isolation.</li> <li>Use lockout/tagout systems including locks, tags, and isolation devices to ensure equipment is safely isolated from energy sources.</li> <li>Verify with testing tools such as voltmeters or bonafide supply cut-off notices to confirm the equipment is completely de-energised before beginning work.</li> <li>Develop and follow a detailed step-by-step procedure for disconnection that includes confirmation of isolation points and safety checks.</li> <li>Use only insulated tools and appropriate Personal Protective Equipment (PPE) suitable for electrical work to reduce risk of electric shock.</li> </ul>	2M, 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Clearly mark and securely barricade the work area to prevent unauthorised access during disconnection activities.	
			- Double-check and cross-verify all labels and corrections with updated schematic diagrams to avoid errors in isolation.	
			- Involve a licensed electrician to supervise or conduct electrical works related to disconnection and isolations.	
			- Communicate clearly with all team members handing energy control measures and confirm everyone understands the isolation states.	
			- Implement a two-person rule to bre practical: one to be performs the task and the other person acts as a spotter to ensure the unce the safety protocols.	
			- Keep emery acy equipment such a first-air and communication devices readily accessible at the work site in composition of unexpected incident	
			- Conside pre-tail safety meeting with all personnel to discuss the activity and ensure everyone unders and their roots.	
		- Ensure that My train of and authorised personnel handle equipment.		
		- pect he are for potential trip hazards and remove any obstacles to provide stable footing.		
		3Н, 2М	Use a priate fall protection gear, such as harnesses and guardrails, when working at heights or in stable areas.	
			- covarly mark and secure a designated work zone using barriers and warning signs to prevent unauthorised access.	
			- Employ proper lifting techniques and use mechanical aids when necessary to avoid manual handling risks.	
3. Securing Equipment	Unstable footing, incorrect restrain		- Check and ensure the stability of ladders or scaffolding before use, positioning them on firm, level surfaces.	1L, 2M
			- Use rated load restraints like straps or chains that are appropriate for the weight and type of equipment being secured.	
			- Double-check securing methods by performing a visual inspection and conducting a pull test on restraints.	
			- Avoid repositioning equipment if unsure of stability; instead, seek advice from a supervisor or engineer.	
		- Regularly inspect tools and restraining equipment for signs of wear or damage, replacing them as needed.		
			- Establish a communication protocol between team members, especially if there is a need to adjust securing methods.	
			- Schedule regular breaks to minimise fatigue, which can affect judgment and physical capability.	
			- Ensure emergency response procedures are in place, including first aid equipment and personnel familiar with emergency scenarios.	






Version 2.5

Date of Issue:





Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Handling Waste Materials	Mishandling hazardous wastes, contamination exposure	3Н, ЗН		I 1L, 1L
8. Cleaning Area	Slipping on oily surfaces, tripping over materials	2M, 3H		1L, 2M

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Unloading at Designated Site	Falls from height, collision with other vehicles/structures	4A, 3H		3Н, 2М
11. Final Inspection	Overlooking potential residual hazards, improper recording	2M, 2M		1L, 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Disposal of Equipment	Environmental contaminants, worker injury during disposal	ЗН, 4А		   2M, 3Н




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Area Clean-Up	Persistent hazardous materials, discarding of rubbish improperly	2М, 2		1L, 1L
14. Documentation and Reporting	Falling objects while documenting, distraction causing accidents	2M, 3H		1L, 2M

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			

#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safe ty data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLA	ATIVE REFERENCE IN ANY ST THAT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acce004 Occupational Health and Safety Acce004 Legislation VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> design factice VIC <u>entrps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-librany">https://www.safework.nsw.gov.au/legal-obligations/legis</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 20 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplates.fety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplates.practice</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice					
South Australia         Work Health and Safety Act 2012 (SA)         Work Health and Safety Regulations 2012 (S         Legislation for SA: <a href="https://www.safework.sa.gov.au/resources.orgislation">https://www.safework.sa.gov.au/resources.orgislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/resources.orgislation">https://www.safework.sa.gov.au/resources.orgislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/resources.orgislation">https://www.safework.sa.gov.au/resources.orgislation</a> Tasmania       Work Health and Safety Act 2012	<ul> <li>Model Codes of Practice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> </ul>					
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety (Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>Maraging the lisk of fails at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of fails in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>					

#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	$\boxtimes$	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	$\boxtimes$	
Check control measures added to the SWMS are the most effective sections.	$\boxtimes$	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	$\boxtimes$	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be	$\boxtimes$	
Details of inspection checks required for any equipment lister are noted on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\square$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMP	LETED