

Replace Boiling Water	Unit   SAFE WORK METHO	D STATEMENT (SWMS)	
TASK	OR ACTIVITY: Replace Boiling Wa	ater Unit	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE POST THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (r 3U) is	required to turn at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, hazards and then to further take steps to either the condition of the condition o	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must structure attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



	CLIENT OR PRINCIPAL CONTRACTOR DETAILS										
Client:					SCOPE OF WORKS						
Project Name:					Provide a detailed description of the specific work being carried out (otherwise						
Project Address:					known as cope of works).						
Project Manager:											
Contact Phone:											
Project Manager Sig	nature:										
Date SWMS supplie	d to Project Manager:										
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT						
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.							
is carried out on a tel	ecommunication tower.		$H \cap H$	is carried out on or near chemical, fuel or refrigerant lines.							
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on or near energised electrical installations or services.							
☐ involves demolition o	f an element related to the	physical integrit of a str	3.	is carried out in an area that may have a contaminated or flammable atmosphere.							
☐ involves, or is likely to	o involve, disturbing a	tos.		involves tilt-up or precast concrete.							
involves structural alt	eration or repair that re	upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in or ne	ar a confined space.			is carried out in a	an area of a workplace where t	here is any movement of p	owered mobile plant.				
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	g use of explosives.	is carried out in a	areas with artificial extremes of	temperature.					
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving w	vork.						
		ANY HI	IGH-RISK MACHINER	RY OR EQUIPMEN	IT NEARBY						
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift				
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer				
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -					





### PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PPOTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Electrical hazards, Tripping hazards	2M	<ul> <li>Conduct a thorough site inspection before commencing any work, ensuring that the environment is safe and free of potential hazards such as electrical equipment or cords that could cause tripping.</li> <li>Clearly communicate to all workers about a specific location and duration of work, emphasising the potential risks in the area to they should be cautious of during the course of their tasks.</li> <li>Ensure all workers are appropriately trained and have relevant qualifications for handling boiling water units, anyell as a complete orderstation of workplace health and safety practices.</li> <li>Switch off and it are then ower apply to the boiling water unit and surrounding electrical equipment before indertant or any various reduce the risk of electrocution.</li> <li>Utilise to open cloud that a trock of the course of the isolal or electrical various.</li> <li>Main line at another anised workstations, keeping tools, equipment, and removed compounts only and or lay from walkways, thus minimising the chances of trip hazards</li> <li>The area of the order of the course of the procedure of the course of the isolation of the tripping of the course of the c</li></ul>	1L	
2. Tools and equipment selection	Inadequate tools, Manual handling injuries	3Н	- Select appropriate tools and equipment for the task: Before starting the replacement of boiling water unit, ensure that all necessary tools and equipment are in accordance to the manufacturer's guidelines to prevent any mishaps due to inadequate tools.  - Inspect tools before use: Perform a thorough inspection of all tools and equipment prior to use. Check for any damaged or worn out parts that could compromise safety or efficiency during replacement.	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Use ergonomically designed tools: Select and use ergonomic tools with comfortable grips and proper design to minimise the risk of manual handling injuries.		
			- Ensure adequate training: Provide all workers in the task with relevant training on correct tool usage and safe lifting to single quest to minimise the risk of injury from inappropriate handling and operation of equipment.		
			- Use mechanical aids when necessary: Utilia mechanical lifting aids, like trolleys or hoists, as and when required to minimise many and dling and reduce the risk of musculoskeletal injuries.		
			- Plan lifting operations proper Divide heavy load to caller components, and encourage teamwork form ing tasks whereve assible to distribute load effectively, reduced the pointial cohysical strain.		
			- Use proper ing techniques: Instrumers well to use the correct body mechanics while manually andling to us, including and knees and keeping their back straig tring to lift avoid muscular or joint strains.		
			- Posi north area dequately: Ensure that the work area is set up in such a way that it is very comic able and clutter-free to avoid any trip hazards or awkward body poures hile has ling tools and equipment.		
			ore to s and suipment properly when not in use: Designate a specific storage area to s and equipment during downtime, keeping them organised and orrectly red to prevent accidents or injuries caused by fallen or misplaced items.		
			- nintain communication among team members: Encourage ongoing communication between staff members throughout the course of the project to monitor safety concerns, discuss optimal approaches to the task and identify potential risks in a timely manner.		
			- Utilise appropriate personal protective equipment (PPE): Ensure that staff wears appropriate safety gear, including gloves, safety footwear, and eye protection as necessary during the handling of tools and equipment for the boiling water unit replacement.		
			- Keep work area clear of obstacles: Regularly clean and maintain the work environment to limit any obstructions or hazards that could interfere with tool handling or lifting operations.		
			- Regularly review SWMS: Conduct periodic reviews and updates of Safe Work Method Statements (SWMS) related to tools and equipment selection, ensuring compliance and addressing any changes in workplace conditions or regulatory standards.		
			- Report incidents promptly: Establish a mechanism for workers to report any near misses, accidents, or injuries involving tools and manual handling activities. Use this information to continually improve and update safety procedures to minimise future occurrences.		
3. Power isolation	Electric shock, Incomplete isolation	4A	- Ensure all necessary Personnel Protective Equipment (PPE) is worn, including but not limited to insulated gloves, safety glasses, and safety footwear.	2M	



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		<ul> <li>Implement a Lockout-Tagout (LOTO) procedure to secure the power source and prevent unauthorised access or accidental re-energising of the system.</li> </ul>		
		- Verify proper power isolation by testing for the above of voltage using an approved voltage tester before commencing		
		- Provide training on safe work practices for ectrical isolation, ensuring that workers are aware of the hazards associated with elements and incomplete isolation.		
		- Clearly display warning signs at the worksite to dicate that electrical work is in progress and caution agains accessing the area about progress authorization or PPE.  - Always have a trace pression fremove any power sources, such as fuses, circuit breakers of disconnecting sources, when the erforming maintenance or replacing connects of the boiling warrung.		
		<ul> <li>Created esign and iscalation around the work area to create a physical barrier and receive the recomployees coming into contact with live electricity unexpected.</li> <li>Estable has a ffective enumerication system among team members, including the use of pertable a dios or designated safety spotters, to ensure awareness of perintial azards, uring the task.</li> </ul>		
		Ence workers to use insulated tools and materials while performing the task reduce he risk of electric shock due to inadvertent contact with live components.  - conduct regular hazard inspections and audits to ensure compliance with control measures and implement any required improvements to existing systems.		
		- Have an onsite emergency action plan in place, detailing the appropriate steps to take in the event of an electric shock incident, including the provision of first aid and follow-up post-incident reporting requirements.		
Water spillage hazards, Sharp edges	2M		1L	
	HAZARDS THAT MAY ARISE	HAZARDS THAT MAY ARISE INITIAL RISK	INITIAL RISK  Implement a Lockout-Tagout (LOTO) procedure to secure the power source and prevent unauthorised access or accidental re-energising of the system.  - Verify proper power isolation by testing for the abrace of voltage using an approved voltage tester before commency.  - Provide training on safe work practices for actrical isolation, ensuring that workers are aware of the hazards associated with elle to short and incomplete isolation.  - Clearly display warning signs at the worksite to facet that electrical work is in progress and caution against accessing the areast shout progress and result of the soliting to a result of the	HAZARDS THAT MAY ARISE    Initial Risk   SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   RESIDUAL RISK



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Disposal of old unit	Manual handling injuries, Environmental hazards	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Installation of new unit	Incorrect installation, Damage to property	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Electrical connection	Electrical hazards, Inc.			2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Water connection	Leaks, Cross-conne	2M		1L	



12

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. System testing	Exposure to hot water, Pressure releas hazards	311		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Clean up and housekeeping	Slips, trips and falls, Hazardous waste disposal			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Functional testing	Burns from hot water, Malfunctioning equipment			1L	
12. Final inspection	Maintenance issues, Quality control	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a> Legislation ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations">https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</a>

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health all Safety Act 34

Occupational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor	
				Date:				
				Date				
				L te:				
			AV	Date:				
				Date:				
				Date:				
				Date:				
		SAF WC A	STATEMENT	MONITORING AND R	EVIEW			
The SWMS must be reviewed regularly to reach the sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:  1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis.  An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	□ 1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	