


| Roller, Compactor | SAFE WORK METHOD ST | TATEMENT (SWMS) | |
|---|--|--|------------------------------------|
| TA | SK OR ACTIVITY: Roller, Compa | ctor | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | | |
| Contact Person: | Phone: [Phone] | E il: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE POST THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or undertaking (N 3U) is | required to ture at a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | ompliance of the SWMS well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. ST HAVE THE FOLLOWING COMMUNICATED | N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are conditionally as a condition of the conditions of | NAME | SIGNATURE | DATE |
| If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| | CLIENT OR PRINCIPAL CONTRACTOR DETAILS | | | | | | | | | |
|-----------------------------|--|-------------------------------|----------------------|--|------------------------------------|-------------------------------|----------------------|--|--|--|
| Client: | | | | | | SCOPE OF WORKS | | | | |
| Project Name: | | | | Provide a detailed description of the specific work being carried out (otherwise | | | | | | |
| Project Address: | | | | | known as cope of works). | | | | | |
| Project Manager: | | | | | | | | | | |
| Contact Phone: | | | | | | | | | | |
| Project Manager Sig | nature: | | | | | | | | | |
| Date SWMS supplie | d to Project Manager: | | | | | | | | | |
| | | ANY HIGH- | RISK CON PUCT | N' JRK BEING | CARRIED OUT | | | | | |
| ☐ involves a risk of a pe | erson falling more than 2 m | neters. | | is carried out on or near pressurised gas mains or piping. | | | | | | |
| is carried out on a tel | ecommunication tower. | ` | M + M | is carried out on or near chemical, fuel or refrigerant lines. | | | | | | |
| ☐ involves demolition o | f an element of a structure | that is load-be n. | | is carried out on or near energised electrical installations or services. | | | | | | |
| ☐ involves demolition o | f an element related to the | physical integrit of a str | 3. | is carried out in an area that may have a contaminated or flammable atmosphere. | | | | | | |
| ☐ involves, or is likely to | o involve, disturbing a | tos. | | ☐ involves tilt-up or | r precast concrete. | | | | | |
| involves structural alt | eration or repair that re | upp to p | prevent collapse. | is carried out on, | , in or adjacent to a road, railwa | ay, shipping lane or other to | raffic corridor. | | | |
| is carried out in or ne | ar a confined space. | | | is carried out in a | an area of a workplace where t | here is any movement of p | owered mobile plant. | | | |
| is carried out in/near | a shaft or trench deeper th | nan 1.5m or tunnel involvin | g use of explosives. | is carried out in a | areas with artificial extremes of | temperature. | | | | |
| is carried out in or ne | ar water or other liquid tha | t involves a risk of drowning | ng. | ☐ involves diving w | vork. | | | | | |
| | | ANY HI | IGH-RISK MACHINER | RY OR EQUIPMEN | IT NEARBY | | | | | |
| Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loader | ☐ Boom Lift | ☐ EWP | ☐ Genie Lift | | | |
| ☐ Trencher | ☐ Drilling Rig | ☐ Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer | | | |
| ☐ High Voltage | ☐ Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | Other - | | | | |





PERL NAL TECTIVE EQUIPMENT (PPE)

| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PPOTECTION | PROTE | SPIRATORY P STECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|-------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | | A | | | | | | | | |
| | | | | | | | | | | | |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON | | | | | | | | | | | | | | |
|-------------------------|--|--|--|------------------|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON | | | | | | | | | | | | | | |
| | | | - Conduct comprehensive workplace inspections to identify any potential hazards, such as loose wires or uneven surfaces, ensuring the the area is clear of obstacles before commencing work. | | | | | | | | | | | | | | | | |
| | | | Provide adequate task-specific training for workers using the roller compactor, including proper equipment handling and more tenance cedures. | | | | | | | | | | | | | | | | |
| | | | - Implement a pre-start check to ensure the row appactor and its components are in good working order, with any defects or issues sing reporter and resolved immediately. | | | | | | | | | | | | | | | | |
| | | | - Establish designated estrial valkways in the wounde, separating foot traffic from the roller connector operational space to a rold slips, trips, and collisions. | | | | | | | | | | | | | | | | |
| | | | - Install apply fate signage around to work eto clearly indicate the roller compartor's of sating around the left unauthorised access and reduce the risk of sidents. | | | | | | | | | | | | | | | | |
| | | | - Request worker in-site to wear appropriate Personal Protective Equipment (PPE), uch high-vibility clothing, slip-resistant footwear, and hard hats. | | | | | | | | | | | | | | | | |
| | | | Ensure nation rators are competent and hold current qualifications or licenses for models rolled impactor they will be using. | | | | | | | | | | | | | | | | |
| 1. Preparation | Slips and trips, Incorrect equipment usage | 2M | Deve site-specific, documented Safe Work Method Statement (SWMS) for ler compaction activities, detailing step-by-step procedures for safely carrying out to s, and regularly reviewing and updating the document. | 1L | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | Maintain a clean and organised worksite, minimising clutter that could potentially cause slips, trips, or falls, and decreasing the likelihood of incorrect equipment usage. | | |
| | | | Create and implement clear communication protocols between roller compactor operators and ground staff, helping to coordinate activities and reduce the risk of accidents. | | | | | | | | | | | | | | | | |
| | | | - Encourage workers to take regular breaks to reduce fatigue, resulting in increased awareness of potential hazards and a decrease in the risk of slips, trips, and incorrect equipment usage. | | | | | | | | | | | | | | | | |
| | | | - Regularly review and update risk assessments and control measures, as changing conditions or circumstances may warrant adjustments to maintain optimal safety standards. | | | | | | | | | | | | | | | | |
| | | - Enforce a zero-tolerance policy on horseplay, rushing, or inattention in the workplace, promoting a culture of safety awareness and vigilance among all staff. | | | | | | | | | | | | | | | | | |
| | | | - Provide access to emergency equipment such as first aid kits and fire extinguishers, ensuring that workers are trained in their use and how to respond effectively during an emergency situation. | | | | | | | | | | | | | | | | |
| 2. Equipment inspection | Faulty equipment, Struck by moving equipment | 3Н | | 2M | | | | | | | | | | | | | | | |



| CIFIC WORK STEPS HAZARDS THAT MAY ARISE INITIAL | | RR | RESPONSIBLE PERSON |
|---|---|------------------|--------------------|
| RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| RISK | - Conduct a thorough pre-operational inspection of the roller and compactor equipment to identify any potential hazards or issues that may have arisen since the last use. - Ensure that all workers operating and engagis with the roller and compactor equipment have completed mandatory train a programs regarding the safe operation and basic maintenance of this specific type of achinery. - Implement a regular preventive maintenance or use for the roller and compactor equipment, including routine shecks on critical pure such as his child systems, brakes, tires, and engine come nents. - Place warning sign of safet, parriers around the useing area to alert workers and prevent unareoriseo cress nareas where the roller and compactor equipment is using operate. - Establish effective commendation of the last between machine operators and grout or as me. In a compactor equipment is used of meements and potential hazards. - Mando e tre use on a resonal Protective Equipment (PPE) for workers in proximity to the regarding procedures by restricting the roller and compactor equipment obstructions or uneven surfaces. - Actual set a operating procedures by restricting the roller and compactor equipment obstructions or uneven surfaces. - Practice defensive driving techniques when operating the roller and compactor equipment by maintaining proper speeds, following recommended separation distances, and using caution when approaching blind spots or tight spaces. - Set up designated loading and unloading zones for the roller and compactor equipment, ensuring that they are free from hazards and able to bear the weight of the heavy machinery. - Continuously assess weather conditions and visibility, adjusting work schedules and safety measures accordingly to minimise the risk of accidents caused by inclement weather or limited visibility. - Assign a competent supervisor to monitor the roller and compactor equipment's operation, oversee adherence to safety protocols during work, and assist in addressing any potential hazards or | RESIDUAL | PERSON |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------|--|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Encourage a culture of open communication, allowing workers to voice any concerns or report potential hazards promptly without fear of retribution, ensuring faster resolution of issues and maintaining a safer within the environment. | | |
| 3. Site evaluation | Unstable ground, Proximity to power lines | ЗН | Conduct a thorough site inspection before ork commences to identify any ground instability, soft spots, and slopes that could have challed as to Roller or Compactor. Provide proper training for operators in identify a ground instability hazards, techniques to avoid rollovers, and implementing a work practies while operating the machinery. Ensure all utility line of power ines are accurately arked on-site maps, so workers can execute necessary to be incommented. Notify local utility companies if needed for forcer consulta in/advit. Use offety by the error of the signage to unarcate a safe working distance from powers, so the order of signage to unarcate a safe working distance from powers, so the order of the error of the signage of the unarcate at a safe working distance at all times. Utilise led or finical diseasements or engineering experts to assess the site for unstably provided of the experiment of the | 1L | |
| Operating roller compactor | Falls from height, Collision with other vehicles | 3Н | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 5. Communication failure | Accidents due to miscommunication, Inadequate hand signaling | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 6. Maintenance | Exposure to chemic surical hazards | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 7. Loading materials | Manual handling in auck by falling objects | ŽM | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 8. Unloading materials | Incorrect unloading procedure, Vehicle tip-over | ЗН | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 9. Clearing debris | Sharp objects or hazardous materia Slip and trip accidents | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |
| 10. Traffic management | Collision with peder mans, Inadequate signage | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 11. Refueling equipment | Spillage, Fire hazaro | SH | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 12. Demobilization | Failure to properly Slip and trip hazards | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Pos | sition | Signature | Date | Time | Supe | ervisor |
|---|-----|----------|-----------|--|-------|------|---------|
| | | | | Date: | | | |
| | | | | Date | | | |
| | | | | L te: | | | |
| | | | AV | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | | | Date: | | | |
| | | SAF WC A | STATEMENT | MONITORING AND R | EVIEW | | |
| The SWMS must be reviewed regularly to reach the sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontracted, are very very process should be carried out in consultation with workers (including contractors and subcontracted) who may be affected by the operation of the SWMS and their health and safety representatives who redesented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS. | | | | The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles. | | | |
| REVIEW NUMBER | □ 1 | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 |
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
| | | | |
| The company details have been entered, including the project name and address. | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | P P | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWh | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | |
| Check control measures added to the SWMS are the most effecting so tions. | | | |
| Responsible person is assigned and listed on the SWMS for the imperent of continue assures. | | | |
| Permit requirements specified, such as Hot Work, Veralt Heights etc. | | | |
| SWMS identifies plant and equipment to be u d. | | | |
| Details of inspection checks required for any equipment listed are noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience raining skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Lists any required permits or licenses. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| dentifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE R | EVIEWED | |
| SIGNATURE | DATE CO | MPLETED | |