

| Roof Tiling   SA   | AFE WORK METHOD STAT                      | EMENT (SWMS)   |                                    |
|--|---|--|------------------------------------|
|  | TASK OR ACTIVITY: Roof Tiling             |  |                                    |
| Business Name: [Company Name]  |   | ABN: [ABN]   | SWMS#                              |
| Business Address: [Company Address]  |   |  |                                    |
| Contact Person:  | Phone: [Phone]                            | E il:  |                                    |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                  | THE POST THE PROJECT   |                                    |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undertaking (N 3U) is | required to ure at a safe work method s                              | tatement (SWMS) is prepared before |
| Full Name:   |   |  |                                    |
| Signature:   |   | Title:   | Date:                              |
| Details of the person(s) responsible for ensuring implementation, monitoring a   | ompliance of the SWMS well as review      | s and modifications of the SWMS.                                     |                                    |
| Full Name:   |   | Title:   | Phone:                             |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED  |   | LL RELEVANT PERSONNEL WHO HAVE BI<br>PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND                  |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks.  | NAME                                      | SIGNATURE  | DATE                               |
| If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |   |  |                                    |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |  |                                    |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |  |                                    |



|                             |                              | CLI                           | ENT OR PRINCIPAL     | CONTRACTOR D          | ETAILS                             |                               |                        |
|-----------------------------|------------------------------|-------------------------------|----------------------|-----------------------|------------------------------------|-------------------------------|------------------------|
| Client:                     |                              |                               |                      |                       |                                    | SCOPE OF WORKS                |                        |
| Project Name:               |                              |                               |                      |                       | Provide a detailed description     | n of the specific work being  | carried out (otherwise |
| Project Address:            |                              |                               |                      |                       | known as cope of works).           |                               |                        |
| Project Manager:            |                              |                               |                      |                       |                                    |                               |                        |
| Contact Phone:              |                              |                               |                      |                       |                                    |                               |                        |
| Project Manager Sig         | nature:                      |                               |                      |                       |                                    |                               |                        |
| Date SWMS supplie           | d to Project Manager:        |                               |                      |                       |                                    |                               |                        |
|                             |                              | ANY HIGH-                     | RISK CON PUCT        | N' JRK BEING          | CARRIED OUT                        |                               |                        |
| ☐ involves a risk of a pe   | erson falling more than 2 m  | neters.                       |                      | is carried out on     | or near pressurised gas mains      | s or piping.                  |                        |
| is carried out on a tel     | ecommunication tower.        |                               | M + M                | is carried out on     | or near chemical, fuel or refrig   | erant lines.                  |                        |
| ☐ involves demolition o     | f an element of a structure  | that is load-be n.            |                      | is carried out on     | or near energised electrical in    | stallations or services.      |                        |
| ☐ involves demolition o     | f an element related to the  | physical integrit of a str    | 3.                   | is carried out in a   | an area that may have a conta      | minated or flammable atmo     | osphere.               |
| ☐ involves, or is likely to | o involve, disturbing a      | tos.                          |                      | ☐ involves tilt-up or | r precast concrete.                |                               |                        |
| involves structural alt     | eration or repair that re    | upp to p                      | prevent collapse.    | is carried out on,    | , in or adjacent to a road, railwa | ay, shipping lane or other to | raffic corridor.       |
| is carried out in or ne     | ar a confined space.         |                               |                      | is carried out in a   | an area of a workplace where t     | here is any movement of p     | owered mobile plant.   |
| is carried out in/near      | a shaft or trench deeper th  | nan 1.5m or tunnel involvin   | g use of explosives. | is carried out in a   | areas with artificial extremes of  | temperature.                  |                        |
| is carried out in or ne     | ar water or other liquid tha | t involves a risk of drowning | ng.                  | ☐ involves diving w   | vork.                              |                               |                        |
|                             |                              | ANY HI                        | IGH-RISK MACHINER    | RY OR EQUIPMEN        | IT NEARBY                          |                               |                        |
| Forklift                    | ☐ Crane/s                    | ☐ Hoist/s                     | ☐ Excavator          | ☐ Backhoe/Loader      | ☐ Boom Lift                        | ☐ EWP                         | ☐ Genie Lift           |
| ☐ Trencher                  | ☐ Drilling Rig               | ☐ Trucks                      | Formwork             | ☐ Bobcat              | ☐ Flammable Gas                    | ☐ Fuel                        | ☐ Dozer                |
| ☐ High Voltage              | ☐ Mulcher                    | ☐ Tilt-up Panels              | Roller               | ☐ Scissor Lift        | ☐ Tractor                          | Other -                       |                        |





### PERL NAL TECTIVE EQUIPMENT (PPE)

| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>PPOTECTION | PROTE | SPIRATORY<br>P STECTION | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|-------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    |                    | A                     |       |                         |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                       |       |                         |                    |                      |                        |                    |                   |                           |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP            | POTENTIAL HAZARDS                   | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE              | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
| 1. Preparation      | Trip hazards, Falling objects       | 2M              | <ul> <li>Ensure the work area is clean and free from any debris, clutter or obstacles that could lead to tripping accidents.</li> <li>Conduct a thorough site inspection before convencing work to identify and eliminate trip hazards like loose cables, up or surfaces or exposed edges.</li> <li>Clearly mark any unavoidable trip hazards, ich as touches or equipment storage areas, with bright-colored barricades or warnin.</li> <li>Store all equipment and too be in designated safe, prage lost ons when not in use to minimise the risk of both trip prazards and falling sect.</li> <li>Enforce strict hortonice of ground lives throughout the project ensuring that supervisors are workers or existent maintain of y workspace.</li> <li>Provide app triate perso all protects comprent (PPE) for all workers, including slip-rotant for search minimise the patential for slips or trips.</li> <li>Schall the egulant saks for workers allowing them to remain alert and focused, miniming in likeling do accidents involving trip hazards or falling objects.</li> <li>Train to trken on propolifiting techniques and equipment handling to reduce the k of dripping siects, which could potentially cause injury to themselves or their teachaft.</li> <li>If works out height, secure all tools and materials to prevent them from falling or stall toe boards to catch any potential falling objects.</li> <li>Establish exclusion zones around any areas where roof tiling is taking place, ensuring a safe distance is maintained between workers and potential falling objects.</li> <li>Regularly inspect scaffoldings or elevated work platforms to ensure their stability and safe use while performing tasks related to roof tiling.</li> <li>Encourage the use of tool lanyards or tool belts to keep essential tools within reach and minimise the risk of dropping them during work processes.</li> <li>Develop and implement an incident reporting system to allow for the analysis and mitigation of hazards in the workplace.</li> <li>Undertake regular safety briefings with workers to en</li></ul> | 1L               |                    |
| 2. Site setup       | Uneven surfaces, Electrical hazards | 3Н              | <ul> <li>Conduct a thorough site inspection prior to starting work to identify any uneven surfaces, electrical hazards, and other potential risks related to site setup.</li> <li>Clearly mark and barricade all identified hazards to prevent accidental contact or injuries while setting up the site.</li> <li>Utilise appropriate personal protective equipment (PPE), such as safety footwear with slip-resistant soles and non-conductive materials for electrical hazards.</li> </ul>   | 2M               |                    |



| JOB STEP              | POTENTIAL HAZARDS                 | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|-----------------------|-----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
|                       |                                   |                 | - Level and compact the ground surface wherever possible to minimise the risk of slips, trips, and falls due to uneven terrain.  |                  |                    |
|                       |                                   |                 | - Establish designated walkways around the site. Uping them clear of obstacles, debris, and electrical cords.  |                  |                    |
|                       |                                   |                 | - Implement appropriate electrical safety measures, including using GFCI-protected extension cords and isolating power sources the normal sarry.   |                  |                    |
|                       |                                   |                 | - Store electrical equipment and cords away from et areas, foortraffic, and sharp objects that may cause dame, and introduce a part.   |                  |                    |
|                       |                                   |                 | - Ensure all workers are adequately trained on proper to dal handling techniques to prevent injuries when the property is a property in the property is a property in the property in the property is a property in the property in the property is a property in the property in the property is a property in the property in the property is a property in the property in the property in the property is a property in the property in th |                  |                    |
|                       |                                   |                 | - Secure lades and scaffe is proper following manufacturer's guidelines, to minimise the confidence of falls are injuries of the instable working platforms.   |                  |                    |
|                       |                                   |                 | - Mail clear is communication between crew members to inform each other of potation hazard and changing site conditions promptly.  |                  |                    |
|                       |                                   |                 | - Devel of an implement an emergency response plan specific to the site setup phase, including worker ples, responsibilities, and procedures in case of an incident.   |                  |                    |
|                       |                                   |                 | - gular inspectools, equipment, and assigned PPE for signs of wear or damage and could their timely replacement or repair if required.   |                  |                    |
|                       |                                   |                 | Monitor weather conditions and adjust the site setup process accordingly to reduce heards associated with heavy rain, strong winds, and other adverse conditions.  |                  |                    |
|                       |                                   |                 | Conduct toolbox talks to review the identified hazards and control measures, reinforcing the importance of maintaining a safe work environment throughout the  |                  |                    |
|                       |                                   |                 | site setup phase.  |                  |                    |
|                       |                                   |                 | - Perform a thorough inspection of the ladder prior to use, ensuring it is in good working condition, free from damage or defects, with all rungs secured and intact.  |                  |                    |
|                       |                                   |                 | - Always position the ladder on stable, level ground that is free from any debris or obstructions that may interfere with its stability.   |                  |                    |
|                       |                                   |                 | - Use an appropriate ladder for the task, ensuring that it is the correct height and weight capacity for the job, and meeting all necessary Australian standards.  |                  |                    |
| 3. Ladder positioning | Falls from height, Uneven footing | 4A              | - Set up the ladder at the correct angle, following the 1:4 rule, which means the base should be 1 meter away from the wall or structure for every 4 meters of height.   | 3H               |                    |
|                       |                                   |                 | - Secure the top and bottom of the ladder, if possible, with suitable restraints or braces, to prevent accidental movement or slipping while in use.   |                  |                    |
|                       |                                   |                 | - Ensure the ladder extends at least one meter above the landing point to provide safe handholds and prevent overreaching when accessing the roof.   |                  |                    |
|                       |                                   |                 | - Avoid placing the ladder near electrical power lines or other potential hazards that could cause injury or accidents.  |                  |                    |



| JOB STEP             | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES  | RR               | RESPONSIBLE PERSON |
|----------------------|---------------------------------------|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK | NAME OF PERSON     |
|                      |                                       |                 | - Clearly mark exclusion zones around the base of the ladder with barriers, signs or cones to create a safe workspace for the user and to alert others to the presence of a potential hazard.             |                  |                    |
|                      |                                       |                 | - Wear appropriate personal protective equipme (PPE), such as non-slip footwear, harnesses, helmets and gloves, to reduce the ask of slips trips and falls while climbing and descending the ladder.      |                  |                    |
|                      |                                       |                 | - Implement proper training and supervision for the ployees using ladders, ensuring they are aware of safe work practices, der setup, and usage guidelines.   |                  |                    |
|                      |                                       |                 | - Maintain three points of contact on the ladder at a mestage, two hands and one foot or two feet and contact on a day of carrying he at terms or bulky objects while climbing.                           |                  |                    |
|                      |                                       |                 | - Regularly in the wand upd to Safe work Mound Statements (SWMS) for ladder usage on surify the remaining elevant and prehensive, addressing all specific hazar and color the sures for roof thing tasks. |                  |                    |
| 4. Material handling | Manual handling injuries Falling 1008 | ЗН              |   | 2M               |                    |



| JOB STEP             | POTENTIAL HAZARDS          | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------|----------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                      |                            |                 |  |                  |                    |
| 5. Safety gear usage | Incorrect PPE, PPE failure | 2M              |  | 1L               |                    |



8

| JOB STEP               | POTENTIAL HAZARDS              | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------|--------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                        |                                |                 |  |                  |                    |
| 6. Tiling installation | Cut hazards, Falls from height | 4A              |  | 3Н               |                    |



| JOB STEP            | POTENTIAL HAZARDS               | IR           | CONTROL MEASURES   | RR       | RESPONSIBLE PERSON    |
|---------------------|---------------------------------|--------------|--|----------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE          | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL | PERSON NAME OF PERSON |
| 7. Waterproofing    | Slip hazards, Chemical exposure | 3H           |  | 2M       |                       |



| JOB STEP            | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                                    |                 |  |                  |                    |
| 8. Cutting tiles    | Hand injuries, Eye injuries, Noise | ЗН              |  | 2M               |                    |



| JOB STEP            | POTENTIAL HAZARDS              | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|--------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                                |                 |  |                  |                    |
| 9. Cleanup          | Trip hazards, Disposal hazards | 2M              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                        |                 |  |                  |                    |



| JOB STEP               | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                        |  |                 |  |                  |                    |
|                        |  |                 |  |                  |                    |
| 10. Quality inspection | Falls from height, Structural insecurity | ЗH              |  | 2M               |                    |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |   |                 |  |                  |                    |
| 11. Anchor points   | Fall arrest system. Ilure, Inadequate anchor point place, ent | 4A              |  | ЗН               |                    |



| JOB STEP            | POTENTIAL HAZARDS                            | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
| 12. De-mobilization | Transportation issues, Manual hand ginjuries | 2M              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                        |                 |  |                  |                    |
|                     |                        |                 |  |                  |                    |



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a> Legislation ACT: <a href="https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations">https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</a>

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/5

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a>

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.ksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a>

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name  | Pos | sition   | Signature | Date   | Time  | Supe | ervisor |
|--|-----|----------|-----------|--|-------|------|---------|
|  |     |          |           | Date:  |       |      |         |
|  |     |          |           | Date   |       |      |         |
|  |     |          |           | L te:  |       |      |         |
|  |     |          | AV        | Date:  |       |      |         |
|  |     |          |           | Date:  |       |      |         |
|  |     |          |           | Date:  |       |      |         |
|  |     |          |           | Date:  |       |      |         |
|  |     | SAF WC A | STATEMENT | MONITORING AND R   | EVIEW |      |         |
| The SWMS must be reviewed regularly to reak sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are a subcontractors and subcontractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace.  When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS. |     |          |           | The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:  1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis.  An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles. |       |      |         |
| REVIEW NUMBER  | □ 1 | □ 2      | □ 3       | □ 4  | □ 5   | □ 6  | □ 7     |
| NAME   |     |          |           |  |       |      |         |
| INITIALS   |     |          |           |  |       |      |         |
| DATE   |     |          |           |  |       |      |         |



### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
|   |           |            |          |
| The company details have been entered, including the project name and address.                  |           |            |          |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.    |           | P P        |          |
| Name, signature, position and date signed of the person approving the SWMS.                     |           |            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                         | P         |            |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |           |            |          |
| Adequate risk assessment of any identified hazards has been completed.                          |           |            |          |
| Foreseeable hazards are identified and documented for each step.                                |           |            |          |
| Any hazards listed in any site risk assessments have been added to the SWh                      |           |            |          |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.                  |           |            |          |
| Check control measures added to the SWMS are the most effecting so tions.                       |           |            |          |
| Responsible person is assigned and listed on the SWMS for the imperent of continue assures.     |           |            |          |
| Permit requirements specified, such as Hot Work, Veralt Heights etc.                            |           |            |          |
| SWMS identifies plant and equipment to be u d.  |           |            |          |
| Details of inspection checks required for any equipment listed are noted on the SWMS.           |           |            |          |
| Describes any mandatory qualifications, experience raining skills required to perform the work. |           |            |          |
| Applicable personal protective equipment is selected on the SWMS.                               |           |            |          |
| Lists any required permits or licenses.   |           |            |          |
| Reflects and documents any legislative references and/or Australian Standards.                  |           |            |          |
| dentifies any hazardous substances used with specific control measures in line with any SDS.    |           |            |          |
|   |           |            |          |
| REVIEWED BY   | DATE R    | EVIEWED    |          |
| SIGNATURE   | DATE CO   | MPLETED    |          |