

Sandblaster | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Sandblaster

Business Name: [Company Name] ABN: [ABN] SWMS#

Business Address: [Company Address]

Contact Person: Phone: [Phone] Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PROJECT MANAGER OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:

Signature: Title: Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS, as well as reviews and modifications of the SWMS.

Full Name: Title: Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED NAME AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

| | NAME | SIGNATURE | DATE |
|--|------|-----------|------|
| Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard. | | | |
| If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

| | |
|--|--|
| Client: | SCOPE OF WORKS Provide a detailed description of the specific work being carried out (otherwise known as scope of works). |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Project Manager Signature: | |
| Date SWMS supplied to Project Manager: | |

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

| | |
|---|---|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters. | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping. |
| <input type="checkbox"/> is carried out on a telecommunication tower. | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines. |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing. | <input type="checkbox"/> is carried out on or near energised electrical installations or services. |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure. | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere. |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos. | <input type="checkbox"/> involves tilt-up or precast concrete. |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary supports to prevent collapse. | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. |
| <input type="checkbox"/> is carried out in or near a confined space. | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant. |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives. | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature. |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning. | <input type="checkbox"/> involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

| | | | | | | | |
|---------------------------------------|---------------------------------------|---|------------------------------------|---|--|----------------------------------|-------------------------------------|
| <input type="checkbox"/> Forklift | <input type="checkbox"/> Crane/s | <input type="checkbox"/> Hoist/s | <input type="checkbox"/> Excavator | <input type="checkbox"/> Backhoe/Loader | <input type="checkbox"/> Boom Lift | <input type="checkbox"/> EWP | <input type="checkbox"/> Genie Lift |
| <input type="checkbox"/> Trencher | <input type="checkbox"/> Drilling Rig | <input type="checkbox"/> Trucks | <input type="checkbox"/> Formwork | <input type="checkbox"/> Bobcat | <input type="checkbox"/> Flammable Gas | <input type="checkbox"/> Fuel | <input type="checkbox"/> Dozer |
| <input type="checkbox"/> High Voltage | <input type="checkbox"/> Mulcher | <input type="checkbox"/> Tilt-up Panels | <input type="checkbox"/> Roller | <input type="checkbox"/> Scissor Lift | <input type="checkbox"/> Tractor | <input type="checkbox"/> Other - | |

| RISK MATRIX | | | | | | | | | | |
|----------------|---------------|------------|------------|---------|--------------|-------------|-----------------------------------|--|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEIRARCHY OF CONTROLS | | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | | | Elimination Remove the hazard. | | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCEED | Substitution Replace the hazard. | | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Isolation Isolate People from the hazard | | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Engineering Isolate the hazard. | | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | Monitor and keep records | Administrative Change the work. | | |
| | | | | | | | | PPE | | |

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

| PERSONAL PROTECTIVE EQUIPMENT (PPE) | | | | | | | | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING PROTECTION | EYE/FACE PROTECTION | RESPIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS; and,
3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------|--|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Slips, trips and falls, exposure to hazardous substances | 3H | <ul style="list-style-type: none"> - Keep the work area clean and free of unnecessary equipment or debris. - Use appropriate anti-slip footwear and mats in areas prone to becoming wet or slippery. - Clearly mark uneven surfaces or any potential trip hazards in the workspace. - Provide training to all workers on how to safely move around the workspace, including the correct techniques for lifting and carrying heavy objects. - Store hazardous substances securely and appropriately according to the manufacturer's instructions and relevant legislation, ensuring they are well-ventilated and away from any ignition sources. - Ensure that appropriate personal protective equipment (PPE) is available and used at all times; such as gloves, goggles, safety boots, and dust masks while handling sandblasting materials. - Conduct regular checks on protective clothing and PPE and replace if damaged or worn down. - Train employees in the safe handling and storage of hazardous substances and provide instruction on what to do in case of spills or exposure. - Install warning signs to inform personnel of risks associated with chemicals or machinery. - Regularly update risk assessments and safety protocols based on new information or changes in the workplace environment. | 2M | |
| 2. Setting up Equipment | Electrical hazards, noise | 3H | <ul style="list-style-type: none"> - Use a residual-current device (RCD) or safety switch on all electrical equipment to prevent electrical shocks. - Regularly inspect electrical cords and plugs for signs of damage or wear and tear, and replace immediately if any damage is noticeable. - Ensure equipment is appropriately grounded to prevent electric shock due to faulty wiring or failure of electrical insulation. - Follow manufacturer's instructions while setting up the sandblasting equipment to ensure it is assembled correctly and safely. - Use protective earmuffs or earplugs to minimise exposure to excessive noise. Regular breaks should also be taken to give ears a rest from the noise. - Maintain a safe distance from the blasting area while the sandblasting equipment is being used to avoid exposure to flying particles and dust. - Implement a lock out/tag out procedure when performing maintenance on equipment to ensure that equipment cannot be accidentally turned on. - Train all workers on the safe use of sandblaster machinery before they are allowed to operate it independently. | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------|---|--------------|---|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | <ul style="list-style-type: none"> - Utilise appropriate hand tools for assembling and disassembling the machinery to prevent accidents related to improper handling of equipment. - Keep the working area clean and free from clutter and unnecessary items to prevent tripping hazards. - Store the sandblasting equipment in a designated, dry and secure place after use to protect it from damage and to ensure it does not present a hazard when not in use. | | |
| 3. Loading Sandblaster | Heavy lifting, dust inhalation | 3H | <ul style="list-style-type: none"> - Utilise mechanical lifting aids wherever possible to reduce physical strain. - Prior to lifting, all workers should assess the weight and size of the load. If it's considered too heavy or awkward to handle, ask for assistance from a teammate. - Do not rush when moving heavy items. Take your time and maintain correct posture by bending at the knees, not the waist. - Ensure workers loading the sandblaster wear appropriate personal protective equipment (PPE), such as dust-resistant masks, safety glasses, gloves, and sturdy footwear. - Implement sufficient ventilation systems in the work area to help disperse any dust produced during the loading process. - Conduct regular training sessions on manual handling techniques to reduce the risk of injuries caused by incorrect lifting methods. - The workspace should be kept clean and tidy at all times to avoid trips and falls due to obstacles. - Keep the number of people involved in the loading process to a minimum to avoid accidents caused by overcrowding. - Incorporate regular breaks to reduce fatigue and the potential for accidents. - Read, understand, and follow manufacturers' instructions while loading the sandblaster to ensure safe and efficient operation. - Workers should report any discomfort, pain, or potential hazards immediately to their supervisor for proper action to be taken proactively. | 2M | |
| 4. Checking Safety Gear | Faulty equipment, insufficient protection | 3H | <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> | 2M | |

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 5. Sandblasting | Flying debris, high noise levels, respiratory issues | 4A | [REDACTED] | 3H | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 6. Manual Handling | Musculoskeletal injuries, slips, trips and falls | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 7. Cleaning up | Exposure to hazardous substances slips, trips and falls | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|-----------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 8. Inspect Result | Eye strain, cuts from sharp edges | EM | [REDACTED] | 1L | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 9. Dealing with Waste | Exposure to hazardous substances, wrong disposal of waste material | 3H | [REDACTED] | 1L | |
| 10. Maintaining Equipment | Caught in moving parts, electrical hazards | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---------------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 11. Packing Away | Heavy lifting, slips, trips and falls | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 12. Reporting Irregularities | Stress from deadline, misunderstanding information | 2M | [REDACTED] | 1L | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 13. Training New Staff | Insufficient knowledge to accidents, slow performance | | | 1L | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 14. Monitoring Weather Conditions | Working in bad weather conditions, heat stress | 2M | [REDACTED] | 1L | |
| 15. Regular inspection of the area | Missed potential hazards, complacency | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 16. Participating safety meeting | Stress from speaking in public, misunderstanding information | 2M | [REDACTED] | 1L | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------------------|--|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 17. Procurement of safety equipment | Inadequate protection, purchasing errors | 3H | [REDACTED] | 2M | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|--------------------------|--------------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| 18. Transporting Sand | Heavy lifting, dust inhalation | 3H | [REDACTED] | 2M | |
| 19. Storage of Equipment | Faulty storage, fire hazard | 3H | [REDACTED] | 2M | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|---|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| 20. Maintenance of PPE | Faulty equipment, inadequate protection | 3H | [REDACTED] | 2M | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|--------------|--|---------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |
| | | | [REDACTED] | | |

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011
 Work Health and Safety Regulations 2011
 Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>
 Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>
 Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>
 Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004
 Occupational Health and Safety Regulations 2017
 Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>
 Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011
 Work Health and Safety Regulations 2017
 Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>
 Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice>

Western Australia

Work Health and Safety Act 2020
 Work Health and Safety Regulations 2022
 Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>
 Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011
 Work Health and Safety (National Uniform Legislation) Regulations 2011
 Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplaces-and-laws>
 Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>
 Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

South Australia

Work Health and Safety Act 2012 (SA)
 Work Health and Safety Regulations 2012 (SA)
 Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>
 Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

Tasmania

Work Health and Safety Act 2012
 Work Health and Safety (Transitional and Consequential Provisions) Act 2012
 Work Health and Safety Regulations 2012
 Work Health and Safety (Transitional) Regulations 2012
 Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>
 Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |
| | | | Date: | | |

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are needed. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | <input type="checkbox"/> 1 | <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 5 | <input type="checkbox"/> 6 | <input type="checkbox"/> 7 |
|---------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

| SAFE WORK METHOD STATEMENT REVIEW CHECKLIST | | | |
|--|--------------------------|--------------------------|----------|
| This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training. | | | |
| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
| The company details have been entered, including the project name and address. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Name, signature, position and date signed of the person approving the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Specific personnel and qualifications, experience is noted in the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Adequate risk assessment of any identified hazards has been completed. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Foreseeable hazards are identified and documented for each step. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Any hazards listed in any site risk assessments have been added to the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Check control measures added to the SWMS are the most effective solutions. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Responsible person is assigned and listed on the SWMS for the implementation of control measures. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Permit requirements specified, such as Hot Work, Electrical Work, Work at Heights etc. | <input type="checkbox"/> | <input type="checkbox"/> | |
| SWMS identifies plant and equipment to be used. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Details of inspection checks required for any equipment listed are noted on the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Describes any mandatory qualifications, experience, training, skills required to perform the work. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Applicable personal protective equipment is selected on the SWMS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Lists any required permits or licenses. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Reflects and documents any legislative references and/or Australian Standards. | <input type="checkbox"/> | <input type="checkbox"/> | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | <input type="checkbox"/> | <input type="checkbox"/> | |
| REVIEWED BY | | DATE REVIEWED | |
| SIGNATURE | | DATE COMPLETED | |