

Shrink Wrapping Heat	Gun SAFE WORK METHO	D STATEMENT (SWMS)	
TASK	OR ACTIVITY: Shrink Wrapping H	leat Gun	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E ill:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P. OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductor the proposed work starts.	cting a business or undertaking (I SU) is	required to turn at a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	ILL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be scheded in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the schede or conditions and the schede or conditions and the schede or conditions are scheded as a schede or condition and the schede or conditions are scheded or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must structurately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



	CLIENT OR PRINCIPAL CONTRACTOR DETAILS										
Client:						SCOPE OF WORKS					
Project Name:					Provide a detailed description of the specific work being carried out (otherwise						
Project Address:					known as cope of works).						
Project Manager:											
Contact Phone:											
Project Manager Sig	nature:										
Date SWMS supplie	d to Project Manager:										
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT						
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.							
is carried out on a tel	ecommunication tower.		$H \cap H$	is carried out on	or near chemical, fuel or refrig	erant lines.					
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on or near energised electrical installations or services.							
☐ involves demolition o	f an element related to the	physical integrit of a str	3.	is carried out in an area that may have a contaminated or flammable atmosphere.							
☐ involves, or is likely to	o involve, disturbing a	tos.		☐ involves tilt-up or precast concrete.							
involves structural alt	eration or repair that re	upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in or ne	ar a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	g use of explosives.	is carried out in a	areas with artificial extremes of	temperature.					
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving w	vork.						
		ANY HI	IGH-RISK MACHINER	RY OR EQUIPMEN	IT NEARBY						
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift				
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer				
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -					





PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PPOTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Tripping over cords, Manual handling injuries	2M	 Store all cords properly and ensure they are coiled and not placed in walkways to avoid tripping hazards. Use cordless or battery-operated heat guns where possible to minimise the risk of tripping over cords. Clearly mark and label any cords that are incree for a collity, and make sure they are safely secured to the floor or along the war. Provide proper manual harding training for working to educe of them about the correct lifting techniques and but you posture, minimise the lask of injuries. Implement a system of all six shrink-wrapping materials, resulting in reduced manual handline equirements for workers. Use mechanical aids sure as trolleys of corpallet jacks wherever possible to minimize the new force a cally moving leavy loads. Encourse appropriate stretching and warm-up exercises before commencing work to avoid mist lestra a and other manual handling injuries. Proper manual in all traipment used in the process to ensure good working andition and reacted the risk of potential hazards. Official the workspace effectively so that frequently accessed materials are easily eachable aducing unnecessary bending, reaching, and lifting. To element regular breaks during the work shift, allowing workers to rest and reacting the chances of fatigue-related injuries. Develop a buddy system where two or more workers can assist each other with heavier loads, avoiding excessive strain on an individual worker. Ensure all workers wear proper personal protective equipment (PPE), including foot protection, safety gloves, and high-visibility clothing to prevent accidents. Conduct periodic workplace hazard assessments, identifying and addressing new risks by implementing additional control measures as needed. Enforce strict adherence to detailed Standard Work Method Statements (SWMS) and work procedures, ensuring all steps are followed correctly and control measures are in place. 	1L	
2. Equipment setup	Electrical shock, Burn injuries	3Н	 Inspect all electrical equipment and cords for any visible defects before each use – look for cracks, exposed wires, or damaged insulation. Use only certified, good quality heat-resistant gloves while handling the heat gun to prevent burn injuries during the equipment setup. Follow manufacturer's instructions and guidelines for the proper assembly and operation of the shrink wrapping heat gun – incorrect assembly could lead to safety hazards. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Check the power source and ensure it is compatible with the shrink wrapping heat gun to prevent overloading or electrical shock incidents.		
			- Keep the work area clean, dry, and free of clutter and helps in avoiding accidental tripping or contact with the heat gun, which mixturesult in burns or electrical shock.		
			- Always maintain a safe distance from the at gun noz as well as the material being heated, to avoid accidental burns.		
			- Position the heat gun on a stable, non-flamma, surface, ensuring it does not create a trip hazard or pose tosk of accidental conact or ignorm of nearby flammable materials.		
			- Set up an exclusion from the work area and inforce limited access to authorised per finel only his win selp to min to be exposure to potential hazards.		
			- Conduct a to nox talk or defing see the infall relevant personnel, discussing the right associated with the task, equipment, and allocated control measures in place		
			- For o do operators, ensure there is adequate protection against the elements (such a rain, o previous contact with water and reduce the risk of electrical shock.		
	•		When varking theights, use appropriate fall prevention equipment and measures to the works secured and prevent dropping of tools or other materials that can call a juries.		
			in line in the vicinity are adequately trained and competent in line ing the heat gun, recognizing its potential hazards, and adopting safety precautions.		
			- Establish clear emergency procedures and have necessary first aid supplies easily accessible in case of accidents or incidents involving the heat gun during the equipment setup phase.		
			- Conduct regular inspections: Perform thorough visual checks on the packaging and surrounding area before and during the shrink wrapping process to identify sharp edges, slippery surfaces, and other potential hazards.		
			- Use appropriate personal protective equipment (PPE): Workers should wear suitable PPE, such as thick gloves to protect hands from cuts and abrasions, and non-slip shoes to prevent slipping on wet or slippery surfaces.		
3. Pre-wrapping inspection	Sharp edges from packaging, Slippery surfaces	2M	- Implement a clean-up and maintenance routine: Regularly clean the workspace and maintain equipment to minimise slipping hazards and keep the environment tidy and organised.	1L	
			- Provide clear signage and warnings: Place visible warning signs in the work area to remind workers about potential hazards and necessary precautions.		
			- Optimise work layout: Arrange equipment and materials strategically within the workspace to minimise the chances of encountering sharp edges or slippery surfaces.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Properly dispose of waste materials: Always discard excess packaging materials, liquids, and debris promptly and appropriately to minimise risk of slips and trips.		
			- Keep walkways clear: Avoid storing items or leave waste materials in walkways where they might cause tripping or slipping have s.		
			- Keep surfaces dry: Clean any spills or least immediate prevent surfaces from becoming slippery and hazardous.		
			- Utilise safe handling practices: Train workers in the lifting and handling techniques to avoid injury from contact to sharp edges or so very surfects.		
			- Implement a buddy system: Equirage workers to colleagues if they encounter any hazard, a ping they even out for one another while working.		
			- Offer regular afety training Provious ngoing arety training to ensure all employees an aware of the nazards and with the task and know how to address them proverly		
			- Store is redougly terials securely: Ensure that any chemicals, solvents, or other materials used in the prink-wrapping process are stored in approved, secure contains a to reduce it risk of spills and slipping hazards.		
			Ise ap opria cools for opening packaging: Encourage workers to use safety king or their devices specifically designed for cutting open packaging materials, educing the likelihood of encountering sharp edges.		
		入	eport hazards and incidents: Establish a clear reporting system for employees to report any potential hazards or incidents that occur during the pre-wrapping inspection process, allowing for prompt action to minimise risks.		
	5				
4. Wrapping materials loading	Manual handling injuries, Incorrect loading techniques	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Package positioning	Manual handling injuries, Slips, trips & falls	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Heat gun operation	Burn injuries, Inhalation or tumes	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Package repositioning	Manual handling injuries, Slips, trips & falls	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	1				
8. Inspection & trimming	Sharp objects, Hand or finger injury	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Quality control & assessment	Errors, Miscommunication	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Final sealing	Heat exposure, Pinching injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Stacking finished packages	Manual handling, Toppling packages	, Falling object hazards		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Clean up & maintenance	Trip hazards, Chemical spillage	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
				KIGIK	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES		RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON





EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor
				Date:			
				Date			
				L te:			
			AV	Date:			
				Date:			
				Date:			
				Date:			
		SAF WC A	STATEMENT	MONITORING AND R	EVIEW		
The SWMS must be reviewed regularly to reach the sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by the operation of the SWMS and their health and safety representatives who reduces that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	□ 1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	