Staging Fireworks Displays SAFE WORK METHOD STATEMENT (SWMS)							
TASK O	R ACTIVITY: Staging Fireworks	Displays					
Business Name:		ABN:	SWMS#				
Business Address:							
Contact Person:	Phone:	E ail:					
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT					
Under the Work Health and Safety Regulation (WHS Regulation), a person condu the proposed work starts.	cting a business or under thing (Pu-U) is	required to entry that a safe work method	statement (SWMS) is prepared before				
Full Name:							
Signature:	NK	Title:	Date:				
Details of the person(s) responsible for ensuring implementation, monitoring the	compliance of the SWI, was well as re	views and modifications of the SWMS.					
Full Name:		Title:	Phone:				
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MASS	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND CONSULTED AN	COMMUNICATED TO IN THE				
Safety meetings or toolbox talks will be scheduled in according with regislative requirements to first identify any site hazards, to contain the those hazards and then to further take steps to either eliminate or contail each hazard.							
If an incident or a near miss occurs, all work must stop and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.							
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.							
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.							



CLIENT OR PRINCIPAL CONTRACTOR DETAILS							
Client:	SCOPE OF WORKS						
Project Name:							
Project Address:							
Project Manager:							
Contact Phone:							
Date SWMS supplied to Project Manager:							
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping						
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines						
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services						
□ involves demolition of an element related to the physical integritystructure	\Box is carried out in an area that may have a contaminated or flammable atmosphere						
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete						
involves structural alteration or repair the requires to prary support to prevent collapse	\Box is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor						
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant						
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	\Box is carried out in areas with artificial extremes of temperature.						
\Box is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.						
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY						



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.	
is the second m	Low Low MODERATE High Low Rc record Model in Land Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on control grant and the preferrence on control of controlling a hazard. Engineering by isolation is the properties of the properties									

	PERS_NAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements Mandatory Qualifications and Training										




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Exposure to hazardous substances, Back injuries from heavy lifting	ЗН	 Conduct a risk assessment prior to compare cement, identifying all hazardous substances involved. Ensure all team members are trained in sachandlin and usage of hazardous substances, including understanding Safety Data Sheets (SDS). Utilize personal protective equipment (PPE) succes gloves casks, and safety goggles when handling any chemicals or explosives. Implement safe single raction for hazardous substances, ensuring they are kept in clearly labelled, secure contained away from ignited sources. Use mechanial aids success to all aids success to areas where hazardous by bending the knees and keeping a straight back when lifting unavoidate loads. Rotate asks mong of moments to prevent fatigue and reduce the risk of strain from repetitive lifting rawkwid bot positions. Envice that team members are aware of ergonomic principles and provide training on posture and safe fitting to unques. Schedule regular breaks for workers involved in physically demanding tasks to allow for adequate rest and recovery. 	2M
2. Transportation	Possible road accidents, Risk of materials igniting	2М	 Conduct a thorough vehicle inspection to ensure all parts, including brakes and lights, are functioning properly before transporting fireworks. Use clearly marked and approved transport vehicles designed specifically for carrying hazardous materials like fireworks. Train drivers on the specific requirements and precautions necessary for transporting explosives safely. Plan the route in advance to avoid high-density traffic areas and roads with poor conditions where possible. Ensure that all transported fireworks are securely packed in containers that prevent movement and accidental ignition during transit. Display appropriate signage on the transport vehicle indicating the presence of explosive materials. Avoid transporting fireworks through tunnels or bridges unless absolutely necessary and permitted by local regulations. Maintain a safe distance between the fireworks transport vehicle and other vehicles on the road. Equip the transport vehicle with fire extinguishers suitable for dealing with flammable materials and ensure the driver is trained in their use. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Implement a communication system between the driver and a designated contact for regular updates and emergency coordination.	RESIDUAL RISK
			- Prohibit smoking, open flames, and any potent's gnition sources near the transport vehicle during loading, transport, and unloading.	
			- Coordinate with local authorities for assumnce and or hance if transporting a significant quantity of fireworks.	
			- Ensure compliance with all relevant legislation standards, and codes of practice regarding the transportation of dangerous bods.	
			- Ensure all person three were trained and competent in working at heights and handling fireworks.	
			- Use approprive personal rotective and ment (PPE) such as helmets, safety harnesses, and secure footune to minutes the ask of injury harm falls.	
			- Clear of the designated areas for launching and viewing fireworks to prevent unaution is prevented areas are maintained.	
			- Install, able ratform, or scaffolding with guardrails and toe boards where elevated work is required, suring complete with Australian standards for temporary structures.	
3. Site Setup	Risk of fall from height, Misplacemen fireworks causing unexpected firing		- Converse site-specific risk assessment before commencing setup to identify potential hazards related to virain, wher conditions, and structural integrity.	2M
	direction		- plement a buddy system where workers assist each other during tasks involving heights and fireworks placement, providing immediate support and supervision.	
	G		- Use precision equipment and tools for placing fireworks, ensuring accurate alignment and secure anchoring to control firing direction safely.	
			- Establish an emergency response plan specifically tailored to site setup activities, including procedures for falls, misfires, and unexpected events.	
			- Limit heights by using extendable tools and long-arm accessories for installing components that would usually require ladders, reducing exposure to fall risks.	
			- Regularly review and update site setup protocols and safety measures based on feedback from workers and any incidents that may occur during previous displays.	
4. Setting up Firing		011		
board	Electric Shock, Cuts or abrasions	3H		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
6. Wiring/ Connection	Tripping over wires, Electric shock	2М		1L
7. Testing Connections	Failure leading to immediate firing, Electric shock	зн		1L

Version 2.5

Date of Issue:








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Final Checks	Improper alignment, Debris in the laun area	21/1		1L
10. Firing display	Burns, Deafness from blast noise	4A		ЗН

Version 2.5








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
	1			•
12. End of Show Cleaning	Burns from still-hot cons, Outs from clearing broken storils	зH		1L
				I
				_
				_
13. Dismantling Firing	Back injuries from heavy lifting, Cuts and abrasions	2M		1L
Board	abrasions			

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Debriefing	Mental stress, Missed reporting of incidents due to hastiness	2M		

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF							
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STAR THAT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acce004 Occupational Health and Safety Acce004 Legis vion VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- ogulations</u> Hes on Practice VI <u>outtps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legis	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 200 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplate_fety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.presticates_practice</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/re_oplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes						
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 						

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	\boxtimes	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	\boxtimes	
Check control measures added to the SWMS are the most effective sections.	\boxtimes	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	\boxtimes	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be	\boxtimes	
Details of inspection checks required for any equipment lister are noted on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\square	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIE	EWED
SIGNATURE	DATE COMP	LETED