Static Line System	s SAFE WORK METHOD S	TATEMENT (SWMS)				
TA	SK OR ACTIVITY: Static Line Sys	tems				
Business Name: [Company Name]		ABN: [ABN]	SWMS#			
Business Address: [Company Address]						
Contact Person:	Phone: [Phone]	E gil:				
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P OF THE PROJECT				
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	icting a business or undertaking (I BU) is	required to ture at a safe work method s	statement (SWMS) is prepared before			
Full Name:						
Signature:		Title:	Date:			
Signature: Title: Date: Details of the person(s) responsible for ensuring implementation, monitoring ach compliance if the SWMS, well as reviews and modifications of the SWMS. End SWMS Full Name: Title: Phone: ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS, VIST IN TE AND DATED SIGNATURE OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND						
Full Name:		Title:	Phone:			
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N TE AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	ALL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND			
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditioned in the second hazards and then to further take steps to either the sched or control eat chazard.	NAME	SIGNATURE	DATE			
If an incident or a near miss occurs, all work must successful unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.						
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.						
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.						



CLIENT OR PRINCIPAL CONTRACTOR DETAILS											
Client:					SCOPE OF WORKS						
Project Name:							rk being carried out (otherwise				
Project Address:			k	nown as scope of works).							
Project Manager:											
Contact Phone:											
Project Manager	Signature:										
Date SWMS supp	olied to Project Manag	er:									
		ANY HIG	H-RISK CON YUCI	N. JRK BEING	ARRIED OUT						
involves a risk of	a person falling more than	2 meters.		is carried out on or	near pressurised gas main	s or piping.					
is carried out on a	a telecommunication tower.			☐ is carried out on or near chemical, fuel or refrigerant lines.							
involves demolition	on of an element of a struct	ure that is load-be		☐ is carried out on or near energised electrical installations or services.							
involves demolition	on of an element related to	the physical integrit of a s	17 e.	is carried out in an area that may have a contaminated or flammable atmosphere.							
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.							
involves structura	al alteration or repair that re	mporal upp to	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in o	r near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/n	ear a shaft or trench deepe	er than 1.5m or tunnel involv	ving use of explosives.	☐ is carried out in areas with artificial extremes of temperature.							
is carried out in o	r near water or other liquid	that involves a risk of drow	ning.	involves diving wo	k.						
		ANY	HIGH-RISK MACHINE	RY OR EQUIPMENT	NEARBY						
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift				
Trencher	Drilling Rig	Trucks	Formwork	Bobcat	Flammable Gas	Fuel	Dozer				
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -					







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Falling from height, Tripping hazards	ЗН	 Conduct a thorough risk assessment of the work area prior to commencing any tasks, identifying potential hazards and implemention oppropriate control measures. Ensure that all workers involved in the project use received adequate training on working at heights and applicable static line users. Establish designated walkways and working treas the are free from tripping hazards such as loose cables, equipment, and user. Provide workers with Person Protective Equipment (PPE) opropriate for working at heights, such as safety hard uses and helmets. Implement a Fall observation of static line system (TRS) connected to the static line system to use the takes from using from height. Ensure regulations pecticion and maint and of static line systems is conducted by a qualitative technic or an uncat systems are marked as compliant for use according to indus summary. Establish war computation processes among team members for coordinating tasks a it addressing usertial hazards in real-time. Set up a miles temporary guardrails around exposed edges or openings to mino ise is erisk within the site. Implement an emergency response plan for incidents involving falls from height, including strategies for promptly accessing and rescuing injured workers, first aid provisions, and reporting procedures. Periodically review the effectiveness of implemented control measures, making adjustments as needed based on new information, changes in process, or identified risks. 	2M	
2. Set up equipment	Misuse of equipment, Electrical hazards	2M	 Ensure all workers are adequately trained and competent in the proper use of equipment, including manufacturer guidelines and any specific workplace requirements. Conduct routine inspections and maintenance on all equipment to guarantee it is in good working condition before use. Utilise only equipment that meets Australian Standards and has been approved for use within the workplace. Always follow manufacturer guidelines when setting up equipment, paying close attention to weight limitations and anchoring requirements for static line systems. Establish a dedicated exclusion zone around the work area to prevent unauthorised access and minimise the risk of injury due to misuse of equipment. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- When working near electrical hazards, such as overhead power lines, ensure safe distances (minimum 3 meters) are maintained at all times and that appropriate warning signs are conspicuously displayed.		
			- Regularly assess the worksite for potential elemental hazards and take necessary precautions, including de-energising live circuits and utilising lockout/tagout procedures where required.		
			- Implement a buddy system where workers chair auch other's equipment, ensuring correct setup and proper functioning before combining work		
			- Workers should always weak propriate Personal to the ve Equipment, such as safety harnesses, better and ves, to minimise the usk of injury from equipment misuse or electric mazan		
			- Develop an energency resonance provide the worksite, outlining procedures for resconding minicident such as equipment malfunction or electrical accidents, and the result with this plan.		
			- Enco ray open communication among workers, promoting a culture of safety where on process feet comfortable reporting hazards, near misses, or unsafe work practice with of fear comprisal.		
	1	2M	 Develop and implement a comprehensive inspection checklist for all of the quipment used in Static Line Systems, including harnesses, shock-absorbing vards, connectors, and anchors. 		
			- Conduct thorough inspections of Static Line Systems and associated equipment before each use to identify any signs of wear or damage that could compromise their effectiveness.	1L	
			- Clearly document all inspection findings and maintain records of these reports to ensure appropriate follow-up and accountability within the organisation.		
3. Inspection	3. Inspection Inadequate inspection, Faulty equipment		 Train all employees involved in Static Line Systems on how to conduct proper inspections and identify potential hazards, highlighting the importance of regular checks in maintaining overall workplace safety. 		
			- Implement routine scheduled maintenance on all equipment associated with Static Line Systems, such as cleaning and lubrication, according to manufacturer recommendations.		
			- Remove any faulty or damaged equipment from service and do not allow its use until it has been repaired or replaced by a qualified professional.		
			- Ensure that all personnel are using personal protective equipment (PPE) suitable for their specific tasks and that this equipment is also subjected to regular inspections.		
			 Consult with suppliers or manufacturers when there is uncertainty regarding the safety of specific equipment, seeking clarification or additional guidelines on how to conduct thorough inspections or address identified issues. 		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Foster a culture of open communication among workers, empowering them to report any concerns about equipment safety or raise questions about the adequacy of existing inspection procedures.		
			- Establish ongoing training programs that referencemployees' knowledge of hazard identification and control measures related rotatic Line Systems and the associated equipment, ensuring they remain rigilant appropriate with industry best practices.		
			- Periodically review and update existing control pasures and pection procedures to adapt to change bin technology, equipment changes, or regulatory requirements, consistently strive to create safer we have nonments.		
4. Installation Struck by tools, Fam. conjects	вн		2М		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Use safety gear	Incorrect use, Damas result	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Worker attachment	Worker detachment, Inadequate connection	ЗН		2М	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Horizontal movement	Swing falls, Obstruction hazards	ЗН		2M	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Vertical movement	Loss of balance, Descending too fast	ЗН		2M	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Load transport	Strain injuries, Overloading systems	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. System maintenance	Electrical hazards, Slip and fall risks	2M		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Disconnect workers	Accidental release, Fall from height	ЗН		2M	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Dismantle system	Breakage during dismantling, Crushing hazards	2M		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE F	REFERENCES				
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Action 04 Occupational Health and Safety Action 04 Degis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulan</u> is Unles on vactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>				
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes ract. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes ract.	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>				
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws Codes of Practice NT: https://worksafe.nt.gov.au/formersection stressection st	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>				
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes				
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work 				
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 				

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Dat		
			l te:		
			Date:		

SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to review the sure it remains revised if necessary) if relevant control measure are a conconsultation with workers (including contractors are subcontract of the SWMS and their health and safety representatives who re workplace.

ke sure it remains effective and must be reviewed (and acception of the process should be carried out in s any subcontract s) who may be affected by the operation esentatives who recented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWN			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the imement of cont, measures.			
Permit requirements specified, such as Hot Wey, Electrical Work, Verat Heights etc.			
SWMS identifies plant and equipment to be up t.			
Details of inspection checks required for any equipment listed approved on the SWMS.			
Describes any mandatory qualifications, experience vaining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
			·
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE COMPLETED		