

Storm Damage Clean-Up Ope	erations SAFE WORK ME	THOD STATEMENT (SWMS	5)
TASK OR AG	CTIVITY: Storm Damage Clean-U	p Operations	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVID BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduthe proposed work starts.	acting a business or und ring (Pt. V) is	required to el ethat a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:	NY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliant e of the SWIL as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND FITHIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheded in according with regislative requirements to first identify any site hazards, to continuing the those hazards and then to further take steps to either eliminate or conditional leach hazard.			
If an incident or a near miss occurs, all work must stead dately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX											
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	4	ACTION		Elimination Remoy e the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.		
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.		

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trapped water, hazards materials and waste, Unsafe structures	3H	 Conduct a site assessment to identify are with trapped water and potential hazards. Utilise personal protective equipment, including globally goggles, and waterproof boots, when working in affected areas. Set up exclusion zones are and areas with unsuble or consomised structures. Ensure all workers are trained injentifying hazard and aterials and know proper handling and disposal methods. Use portable ighting to its rove a bility in confy lit areas, particularly when working during early morning or exaging. Implicant a body cotem to ensure no worker is left alone at any time during the clean-up. Employ to censes a tructural engineer to assess and certify stability before any work begins on damaged structures. Store in zarouns waste and materials in designated containment areas away from general work zones. One promps and drainage systems to safely remove trapped water from work areas. Clearly or k and cordon off any hazards that cannot be immediately removed or repaired. Induct daily briefings to update workers on identified risks and control measures. Use appropriate lifting techniques and equipment when dealing with heavy debris to prevent injury. Maintain communication equipment such as radios for immediate contact with team members and emergency services. Regularly inspect personal protective equipment to ensure it's in good condition and fits properly. 	2M
2. Equipment checking	Risky equipment, unsafe tools usage	ЗН	 Conduct regular maintenance checks on all equipment prior to use, ensuring it meets safety standards. Verify that all tools and equipment are in good working condition with no visible damage or wear. Ensure all personnel are trained and competent in the use of the specific tools and equipment required for the task. Implement a check-in/check-out system for logging equipment usage and preventing unauthorised access. Provide appropriate personal protective equipment (PPE) for workers using equipment, such as gloves, goggles, and safety boots. Calibrate all measuring devices and ensure accuracy before starting operations. Use equipment and tools specifically designed for storm damage clean-up tasks to reduce the risk of improper usage. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Store all equipment and tools securely and organize them clearly when not in use to avoid clutter and potential hazards.	
			- Develop and communicate clear procedures for porting faulty or damaged equipment to prevent its use.	
			- Ensure electrical tools are double-insulated and fitted than earth leakage protection device.	
			- Regularly inspect extension cords and other least all components for signs of fraying or damage.	
			- Establish and enforce strict rocedures for lock yout and training out malfunctioning equipment until it is repaired.	
			- Keep a record of tenance, inspections, and epairs conducted on tools and equipment for accountability and uture teren	
			- Conduct a converence site assessment before commencing work to identify and eliminate tripping hazar and unit becauffaces.	
	Slip FALL hazard from debrit stric shock		- Ensurate or v-light additions.	
			Provide tubble soled, slip-resistant footwear to minimise the risk of slips and falls on wet or uneven success	
			Instant porary barriers or rope off hazardous areas to prevent unauthorised access and protect rkers from potential hazards.	
			- portable lighting during early morning, late afternoon, or overcast conditions to enhance visibility and identify potential hazards.	
3. Area Inspection		4A	- Regularly remove debris and clear pathways to maintain safe walking surfaces and reduce the risk of slips, trips, and falls.	2M
			- Implement a buddy system for checking and monitoring each other's safety while conducting inspections.	
			- Train personnel in electrical hazard recognition, including identifying downed power lines and damaged electrical equipment.	
			- Equip employees with insulated gloves and tools when working near potential electrical hazards to prevent electric shock.	
			- Ensure emergency contact numbers and procedures are clearly communicated and easily accessible to all workers in case of an electrical incident.	
			- Conduct regular toolbox talks focusing on current weather conditions and how they may impact safety during storm damage clean-up operations.	
			- Have a trained first-aider onsite at all times to provide immediate assistance in the event of an accident or injury.	
4. Securing the area	Traffic accidents, falling objects	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Debris removal	Mushroom spores, heavy lifting strains	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Cutting down unsafe trees	Falling objects, wild animals	4A		2M
7. Roof Repairing	Fall from heights, Asbestos exposure	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Building reinforcing	Instability of structures, Collapsing dangers	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Water pump operation	Electric shock, not a levels	ЗН		2M
10. Disposing waste	Infection risk from hazards waste, Unprotected cuts or wounds	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Power Equipment Operation	Equipment malfunctions, Electrocution	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Rechecking work	Missed hazards, Aditione structures found	ЗН		2M
13. Reporting & Documentation	Incorrect reporting, Miscommunication	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	1			I
				_
14. Debrief & Clean-up	Injury due to rush, Forgotten tools or equipment	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Workers' Health Monitoring	Waterborne diseases, Post admatic stress disorder, Heat exhaustion	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				_
	5			



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. N ANY STATEMENT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legis

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplate fety-lay

Codes of Practice NT: https://worksafe.nt.gov.av and-reso per des ractice

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Ocupational Health Safety A 2004

Octational Health an Safe* regulations 2017

- Legis ion VIC: https://www.orksafe.vic.gov.au/occupational-health-and-safety-act-and-
- gula
- tes of actice VI attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view as should be carried out in consultation with workers (including contractors as unputractors of the SWMS and their health and safety registeratives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties the theoretical with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	7		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SW. S.			
SWMS initial risk (IR) column as well as residual risk (RR) column sympleted.			
Check control measures added to the SWMS are the most effective sections.			
Responsible person is assigned and listed on the placenta. Of control measures.			
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.			
SWMS identifies plant and equipment to be			
Details of inspection checks required for any equipment lister are noted on the SWMS.			
Describes any mandatory qualifications, experience, ang or skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE REVIEWE	D	
SIGNATURE	DATE COMPLETED		