

Suction Excavator	SAFE WORK METHOD ST	TATEMENT (SWMS)	
TA	SK OR ACTIVITY: Suction Excav	ator	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P. OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED		LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CLI	ENT OR PRINCIPAL	CONTRACTOR D	ETAILS				
Client:						SCOPE OF WORKS			
Project Name:					Provide a detailed description of the specific work being carried out (otherwise				
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	nature:								
Date SWMS supplie	d to Project Manager:								
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a tel	ecommunication tower.		M + M	is carried out on or near chemical, fuel or refrigerant lines.					
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on or near energised electrical installations or services.					
☐ involves demolition o	f an element related to the	physical integrit of a str	3.	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely to	o involve, disturbing a	tos.		involves tilt-up or precast concrete.					
involves structural alt	eration or repair that re	upp to p	prevent collapse.	is carried out on,	, in or adjacent to a road, railwa	ay, shipping lane or other to	raffic corridor.		
is carried out in or ne	ar a confined space.			is carried out in a	an area of a workplace where t	here is any movement of p	owered mobile plant.		
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	g use of explosives.	is carried out in a	areas with artificial extremes of	temperature.			
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving w	vork.				
		ANY HI	IGH-RISK MACHINER	RY OR EQUIPMEN	IT NEARBY				
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -			





PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PPOTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Manual handling injuries, Slips and trips	2M	 Conduct a thorough risk assessment before starting the work to identify potential hazards and implement appropriate control measure Ensure all workers are properly trained in man an handling techniques, including proper lifting, carrying, pushing, and pulling exthods. Encourage workers to use mechanical aids uch as a cution excavators to handle heavy or awkward loads, rather than relying start manual labour. Create designated walkwa, and keep the work, area class and free from debris, spills, and other obstructions that could cause slight and trips. Regularly inspect and pass for my potential slip ortation phazards, and address them promptly. Provide persual protects equipme. Proceeding as non-slip footwear and gloves to mich se the lok of for my while handling materials or operating machinery. Estata is a clear influenciation system between team members to ensure coordiction and away ness during the operation of suction excavators and other equipment. Implement an active housekeeping routine, with regular cleaning and manuscrape schouldes to maintain a safe working environment. Limit the mount of time workers spend performing repetitive tasks or handling any loads to minimise fatigue and the risk of injury. Arrange for employees to work in pairs or teams when necessary, sharing the workload and assisting each other with difficult tasks. Encourage employees to report any concerns or potential hazards they encounter, promoting a culture of shared responsibility for workplace safety. Schedule regular breaks for workers to rest and recover, helping to prevent overexertion and decrease the risk of manual handling injuries. Provide first aid kits and emergency response equipment in easily accessible locations throughout the worksite. Review and update the Safe Work Method Statement (SWMS) regularly, taking into account lessons learned and incorporating new best practices to continuously impro	1L	
2. Pre-start checks	Faulty equipment, Inadequate training	3Н	 Conduct regular maintenance checks on the suction excavator, ensuring that all equipment is in proper working order before use. Keep a record of equipment maintenance and repairs to track the reliability of each piece of equipment and identify any recurring issues. Document a pre-start checklist for workers to follow before commencing work, including inspections for any visual damage, wear, or leaks. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Clearly post safety and operating procedures near the suction excavator for easy reference by workers.		
			- Provide thorough training for all operators and cromembers specific to the suction excavator, ensuring they understand by the equipment functions and how to recognise potential hazards.		
			- Establish an ongoing retraining schedule to fresh the workers' knowledge on using the equipment safely and efficiently while the mg them up-to-date on industry best practices.		
			- Offer additional, specialised uning for workers w monocounter specific hazards unique to the coles worksite condition		
			- Implement a small proce for recting any spment faults or unsafe situations that may arise furing pre-section to the control of the street situations are situations to the street situation and the street situations are situations are situations and the street situations are situation		
			- Upo see risk comment documentation periodically to accurately reflect the current state of the rkplace, taking into account new equipment, personnel, and proced as coduce		
			Enforc the up of appropriate Personal Protective Equipment (PPE) during all series of the work process, including hard hats, safety glasses, gloves, and steel-toechoot.		
			Create a Juddy system where experienced employees mentor newer team numbers, fostering a supportive environment that emphasizes safe work practices.		
			Hold regular toolbox talks, focusing on the importance of pre-start checks and the risks associated with inadequate training and faulty equipment, reinforcing awareness and promoting adherence to the established safety guidelines.		
			- Implement a safety barrier or exclusion zone around the work area to prevent unauthorised access and protect workers from falling objects.		
			- Clearly mark the designated work area with appropriate signage to inform personnel of potential hazards and traffic interaction risks.		
2 Cita actus	Calling chicate Traffic interaction	21.1	- Conduct regular toolbox talks and safety briefings to ensure all workers are aware of the hazards related to the site setup and the importance of adhering to the established control measures.	214	
3. Site setup	Site setup Falling objects, Traffic interaction	3H	- Ensure proper use of personal protective equipment (PPE), such as hard hats, high visibility clothing, and steel-toed boots, to reduce the risk of injury from falling objects and traffic interaction.	2M	
			- Establish an effective communication system between workers and machinery operators, using radios or hand signals, to promote awareness of each other's actions and movements on the site.		
			- Schedule regular checks and maintenance of lifting equipment and machinery to minimise the risk of malfunction and potential accidents involving falling objects.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Provide adequate lighting for the site setup to improve visibility and reduce the likelihood of accidents caused by poor visibility.		
			- Implement traffic management plans that include their route delineation, appropriate speed limits, and restricted access the as to minimise vehicle interaction in the active work zone.		
			- Train all workers involved in site activities of roper and techniques, equipment operation, and emergency response procedure animise the likelihood of incidents related to falling objects or traffic interaction.		
			- Stabilise loads and secure merials properly durn that ang, transport, and storage to reduce the stabilise loads and secure merial median alling objects and sequent injuries.		
			- Assign design and safety dicers monitor the late setup and adherence to established a trol measure, ensure swift prective action is taken in case of non-compliant or unforce en hazards.		
			- Mail and tidy a cell-organised worksite, regularly removing debris, and storing object said to promote potential trip hazards or objects falling from height.		
			- Ensure vehicles and exchines used on-site have properly functioning lights, varningly gnale and reverse beepers to alert workers in close proximity and mise he risk straffic interaction incidents.		
			Cone of gular risk assessments during site setup activities to continuously entify, evaluate, and address potential hazards related to falling objects and traffic in fraction, allowing for adjustments to control measures as needed.		
	6				
4. Excavation start	Contact with utilities, Ground collapse	4A		3H	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Material removal	Dust inhalation, Noise exposure	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
JOB STEP SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK	RESPONSIBLE PERSON NAME OF PERSON
6. Refilling excavated area	Poor recompaction, Uneven surfaces	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Machinery maintenance	Electric shock, Flammable materials	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Vehicle movement	Collision with obje 3, Pedestrian interaction	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Environment monitoring	Air quality, Vibration	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Emergency response	Ineffective procedule, Delayed amonse	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Site cleanup	Waste disposal haunde mucan vills	₽M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Restoration work	Inadequate groun tabilization vy traffic	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	5				



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

Tulat

des on actice VI autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor
				Date:			
				Date			
				L te:			
			AV	Date:			
				Date:			
				Date:			
				Date:			
		SAF WC A	STATEMENT	MONITORING AND R	EVIEW		
The SWMS must be reviewed regularly to rake sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by the operation of the SWMS and their health and safety representatives who redesented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.				The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.			
REVIEW NUMBER	□ 1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	