Target Pruning Operation	ons   SAFE WORK METHO	D STATEMENT (SWMS)	
TASK	OR ACTIVITY: Target Pruning Op	erations	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduction the proposed work starts.	ucting a business or under thing (Perry) is	required to entry of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWI, was well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NACE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	IEL WHO HAVE BEEN CONSULTED AND CONSULTED AN	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheduled in according e with egislative requirements to first identify any site hazards, and the to contain the those hazards and then to further take steps to either eliminate or contail each hazard.			
If an incident or a near miss occurs, all work must store and ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integritystructure	$\Box$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	$\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	$\Box$ is carried out in areas with artificial extremes of temperature.
$\Box$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.
is the second m	RARE       1       1       2       3       3       1L       Inition and ke mecords       Isolate the hazard.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferrence on control ga hazard. Substitution to the second most effective method of controlling a hazard. Engineering by isolation is the purpost en tive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Proterior exercision of the second proteris of								

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).		
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED	
Other PPE R	Required:					_						
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Chemical exposure from lubricants, Slips and falls from wet surface	ЗН	<ul> <li>Conduct a risk assessment before components work to identify potential hazards and implement necessary controls.</li> <li>Ensure all workers are trained in safe work to news, including handling chemicals and maintaining clean workspaces.</li> <li>Use appropriate personal projective equipment och actionoves, goggles, and non-slip footwear to minimise chemical eventure all slip risks.</li> <li>Store chemigroun clean use all slip risks.</li> <li>Store chemigroun clean belle usecure continers to prevent spills or leaks and ensure all Material Safety Data meets (MSD are activities) and other chemicals are used to reduce inhalt or risks.</li> <li>Regul rit property evention in areas onere lubricants and other chemicals are used to reduce inhalt or risks.</li> <li>Regul rit spect to its and equipment for maintenance needs and repair any leaks that could contribute to slippiny straces.</li> <li>Keep virk area tidy and immediately clean up any spills using the correct procedures to prevent slip has rids.</li> <li>Ensure environmental conditions such as rain are considered in the work schedule and delay tasks if surfaces become hazardous.</li> <li>Develop and follow an emergency response plan for chemical exposure, including first aid measures and emergency contact numbers.</li> <li>Restrict access to areas under preparation to minimise the number of people exposed to potential hazards.</li> <li>Conduct regular safety briefings and toolbox talks to reinforce best practices and any changes in procedures due to observed risks.</li> <li>Encourage workers to report any unsafe conditions or near-misses immediately so they can be addressed before leading to incidents.</li> </ul>	2M
2. Safety briefing	Misinformation, Hearing impairment	2M	<ul> <li>Conduct a pre-job meeting to ensure all workers understand the day's tasks, individual roles, and responsibilities.</li> <li>Provide comprehensive training sessions for all workers on effective communication techniques and information retention.</li> <li>Use visual aids such as diagrams, maps, or digital tools to enhance understanding and clarify instructions during the briefing.</li> </ul>	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Ensure all participants have access to and are familiar with written safety procedures and guidelines applicable to the task.	
			- Implement a check-back system where workers upeat or summarise key information to confirm comprehension.	
			- Distribute updated contact information in emergency prvices and relevant supervisory personnel.	
			- Mandate the use of hearing protection devices the earmuffs or earplugs during the safety briefing if conducted in noisy environments.	
			- Provide written materials in vrious formats (e.g. arge res., braille) to accommodate workers with hearing impairments	
			- Allow time for existions and discussion to address any uncertainties or specific concerns regarding safety protocols.	
			- Assice a descented security officer to consee and document the briefing process, ensuring that all points are doneed the local.	
			- Utilise technology, uch as hearing aids or assistive listening devices for workers with hearing challen es.	
			Review past we ident leports or near-miss scenarios related to target pruning operations to highlight common pazaro, and preventive measures.	
	C		conduct a visual inspection of all tools for any visible damage or defects before commencing work.	
			- Ensure that all pruning tools are sharp and properly maintained to prevent slipping or jamming during use.	
			- Train all workers in the correct handling techniques for each tool to minimise the risk of injury.	
			- Use personal protective equipment such as gloves and safety goggles to protect against accidental cuts and debris.	
			- Implement a regular maintenance schedule for tools, including sharpening blades and checking for worn parts.	
3. Tool inspection	Tool malfunction, Cuts from snarp tools	3H	- Clearly label and store tools in designated areas when not in use to avoid tripping hazards and ensure easy identification.	2M
			- Replace any damaged or defective tools immediately to prevent accidents.	
			- Use only tools that are appropriate for the specific pruning task to maintain control and efficiency.	
			- Employ the use of tool guards where applicable to protect workers from exposed blades.	
			- Advise workers to carry tools with blades facing downwards and safely secured to reduce the chance of cuts during transportation.	
			- Encourage a clean and organised workspace to avoid clutter and reduce the likelihood of accidental tool- related injuries.	
4. Site assessment	Unstable grounds, Falling branches	ЗH		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Set up equipment	Heavy lifting injuries, Trips over equipment	2M		   1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Debris clearance	Rustic nails, Lacerations from sharp debris	ЗН		1L
8. Equipment storage	Tripping over misplaced items, Lost equipment	2M		   1L

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Breakdown of equipment	Pinching fingers, Sprains	2М		
11. Clean up area	Allergens, Slippery surfaces	2M		1L 1L

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Equipment maintenance	Electric shocks, Burns from hot parts	RH		2M
14. Transportation of goods	Traffic hazards, Load tipping over	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Review of works	Unresolved hazards, Feedback discomfort	1L		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
16. Documentation process	Misplacement of document Miscommunication	ZM		1L
17. End of shift handover	Insufficient information passed on, Handover delays	2M		1L

Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Equipment check	Equipment malfunction, Missing equipment	3		2M
20. Final report	Data errors, Miscommunication	2M		■ 1L


Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			

#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	$\boxtimes$	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	$\boxtimes$	
Check control measures added to the SWMS are the most effective sections.	$\boxtimes$	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	$\boxtimes$	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be	$\boxtimes$	
Details of inspection checks required for any equipment lister are noted on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\square$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIE	EWED
SIGNATURE	DATE COMP	LETED