

Thicknesser Sa	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Thicknesse	r	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E 11:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY 1	THE PL OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (N 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditionally as a condition of the conditions are or conditionally as a condition of the conditions are conditionally as a condition of the condition of the condition of the conditions are conditionally as a condition of the cond	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



	CLIENT OR PRINCIPAL CONTRACTOR DETAILS										
Client:						SCOPE OF WORKS					
Project Name:					Provide a detailed description of the specific work being carried out (otherwise						
Project Address:					known as cope of works).						
Project Manager:											
Contact Phone:											
Project Manager Sig	nature:										
Date SWMS supplie	d to Project Manager:										
		ANY HIGH-	RISK CON PUCT	N' JRK BEING	CARRIED OUT						
☐ involves a risk of a pe	erson falling more than 2 m	neters.		is carried out on or near pressurised gas mains or piping.							
is carried out on a tel	ecommunication tower.	`	M + M	is carried out on	or near chemical, fuel or refrig	erant lines.					
☐ involves demolition o	f an element of a structure	that is load-be n.		is carried out on or near energised electrical installations or services.							
☐ involves demolition o	f an element related to the	physical integrit of a str	3.	is carried out in an area that may have a contaminated or flammable atmosphere.							
☐ involves, or is likely to	o involve, disturbing a	tos.		involves tilt-up or precast concrete.							
involves structural alt	eration or repair that re	upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
is carried out in or ne	ar a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvin	g use of explosives.	is carried out in a	areas with artificial extremes of	temperature.					
is carried out in or ne	ar water or other liquid tha	t involves a risk of drowning	ng.	☐ involves diving w	vork.						
		ANY HI	IGH-RISK MACHINER	RY OR EQUIPMEN	IT NEARBY						
Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	☐ Boom Lift	☐ EWP	☐ Genie Lift				
☐ Trencher	☐ Drilling Rig	☐ Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer				
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	Other -					





PERL NAL TECTIVE EQUIPMENT (PPE)

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PPOTECTION	PROTE	SPIRATORY P STECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
			A								

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Flying debris, Manual handling injuries	2M	 Conduct a thorough risk assessment before beginning any work to identify potential hazards and determine the appropriate control meast es. Provide workers with proper personal protectiful equipment (PPE) such as safety goggles, gloves, and hearing protection to could them from flying debris. Ensure that the workplace is uncluttered an area of costacles, providing ample space for the workers to perform their tasks an area materials safely. Regularly maintain and inspect the thicknesser is chine to comise the risk of malfunction, ensuring all guards and safety features are in orking condition. Utilise mechanica and previous manual building injuries. Train employ as on prore diffing teo in a and ergonomic principles, including keep's the load slose anteir body, becaming at the knees, and engaging their core musc. Encology forkers take regular breaks and stretch periodically to reduce muscle train and fatty caused by repetitive movements. Implement a two person lift protocol where necessary for handling awkward or head or locations the risk of injury due to overexertion. Develog nergency procedures and first aid protocols to deal with possible didents promptly and effectively, minimising the impact on worker health and safety. Establish clear communication channels within the team, promoting a culture of mutual support and reporting any concerns related to workplace hazards or unsafe practices. Continually review and update the Safe Work Method Statement (SWMS) as needed to ensure continual improvement of health and safety conditions in the workplace. 	1L	
2. Equipment Set-up	Electrical hazards, Equipment malfunction	2M	 Regular inspection and maintenance: Ensure regular inspection and maintenance of the thicknesser and its electrical components to minimise the risk of equipment malfunction and electrical hazards. Use of suitable power supply: Make sure that the thicknesser is connected to a power source with the correct voltage and amperage to avoid overloading and potential electrical hazards. Proper grounding: Ensure that the thicknesser and its electrical components are adequately grounded to prevent electrocution, electric shock, or equipment damage. Circuit breakers: Install appropriate circuit breakers on the power supply lines to protect against electrical faults, shorts, and overloads. Safety devices: Ensure proper installation and operation of safety devices, such as emergency stop buttons, guardrails, and secure flooring around the thicknesser. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 User training: Provide thorough training to all personnel who operate the thicknesser on the safe use and best practices, ensuring they understand the associated risks and control measures. 		
			- Personal protective equipment (PPE): Mandatune use of appropriate PPE for employees working with the thicknesser, in using safety enggles, ear protection, and non-slip footwear.		
			- Correct tool setup: Ensure that the thickness components are set up correctly according to the anufacture of juidelines to minimise the risk of malfunction and injury.		
			- Keep work area classification clean and clutter-, workspace in and around the thicknesser proving by declaration obstacles, or tripping hazards that could lead to accidents		
			- Access restrictings: Limitates to the expression of the expression accidentally operating the expression.		
			- Emery no, espons plan: Develop and implement a comprehensive emergency respons plan case equipment malfunction or electrical hazard occurrence, cluding he prosion of first aid kits, fire extinguishers, and a designated entered contain person.		
			roper Personal Protective Equipment (PPE): Ensure that all workers are equipped who necessary PPE, such as gloves, safety goggles, and dust masks, to minimise exposure to dust and pinch points while handling materials.		
			- Regular equipment inspections: Conduct regular inspections of the thicknesser, assessing its condition for wear and tear, ensuring proper functionality and identifying any issues that could lead to hazards.		
			- Material storage and organisation: Store materials in a designated area and organise them in a way that minimises the risk of injuries due to sudden movement, shifting or falling of materials, and reduces the chances of creating pinch points.		
3. Material Handling	Pinch points, Dust exposure	2M	- Dust extraction system: Implement an effective dust extraction system to manage and reduce dust exposure during the material handling process, ensuring a safer work environment.	1L	
			- Training for material handling: Provide workers with proper training in safe material handling techniques and procedures, enabling them to efficiently and safely transport and handle materials.		
			- Clear signage and marking: Use clear signs and markings in the workspace, indicating areas that pose potential risks, such as hazardous or pinch point zones, and provide clear instructions on proper material handling procedures.		
			- Supervision and monitoring: Regularly monitor the work area and supervise workers while carrying out material handling tasks to ensure compliance with safety measures and identify any arising concerns.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		 Adequate lighting: Ensure sufficient lighting is provided in the workplace, giving workers better visibility and reducing the risk of mishandling materials due to poor visibility. 			
			- Proper ergonomics: Encourage workers to foll ergonomic principles during material handling tasks, such as lifting technique and maintaining good body posture, to help prevent strains, sprains, and ther must be skeletal injuries.		
			- Housekeeping: Maintain a clean and organis — K environment, removing trip hazards and preventing material build-up in path — vs and around the thicknesser, which could cause unanticipal — pinch points or description.		
			- Communication and reporting system; tem: Establish an active communication and reporting system; which report haz rds or safety incidents, promoting a continuous provement occss workpl safety measures.		
4. Machine Operation	Entanglement, Contact with moving parts	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Maintenance	Exposure to hazardous substances, Slips and falls	2M		1L	



8

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
6. Blade Change	Cuts or lacerations, Improper installation	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Noise Control	Hearing damage, Communication interference	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Dust Collection	Inhalation of dust, Fire hazard	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Emergency Stop	Equipment damage, Delayed response time	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Clean-up	Slips, trips and falls, Inadequate ventilation	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Inspection	Human error, Failure to identify hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Supervision	Miscommunication, Non-compliance with procedures	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		NIGR		NIGH	







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health all Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Supe	ervisor
				Date:			
				Date			
				L te:			
				Date:			
				Date:			
				Date:			
				Date:			
		SAF WO A	STATEMENT	MONITORING AND R	EVIEW		
The SWMS must be reviewed regularly to rake sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontracted, are well well process should be carried out in consultation with workers (including contractors and subcontracted) who may be affected by the operation of the SWMS and their health and safety representatives who redesented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	□ 1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWh			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting so tions.			
Responsible person is assigned and listed on the SWMS for the imperent of continue assures.			
Permit requirements specified, such as Hot Work, Veralt Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed are noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
dentifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	