

Timber Milling S	AFE WORK METHOD STA	ATEMENT (SWMS)	
1	TASK OR ACTIVITY: Timber Millin	ng	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC VOF THY ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduthe proposed work starts.		required to el ethat a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliant e of the SWIL as well as re	eviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS VMS HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	NEL WHO HAVE BEEN CONSULTED AND (THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheded in according to with agislative requirements to first identify any site hazards, to continue the those hazards and then to further take steps to either eliminate or continue to the hazard.			
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WC & BEIN C & RIED OUT
involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-hearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical interrity structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing as	☐ involves tilt-up or precast concrete
involves structural alteration or repair the requires to rary so port to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper an or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
is carried out in or near water or other liquid that involves a risk of drowning.	involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remoy e the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolation Isolate People from the hazard
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and records		Engineering Isolate the hazard.
is the second m	archy of Controls: nost effective methologing the work is	od of controlling a	a hazard. Engine	ering by isolat	ion is the nost of	e. tive, while	ard. Substitution e Administrative least effective		Administrative Change the work.

						TIVE EQUIPM					
		Select the app	propriate PPL	abo suitak	ok for the equip	oment used or	the job task	being perfori	med (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	THE ARING STION	P _cCTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ients		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trip hazards, poor visibility	2M	 Conduct a site inspection to identify and conove any trip hazards, such as loose debris or obstacles. Implement proper storage techniques to the proof and materials organised and out of walkways. Install adequate lighting in all areas where viewill be performed to ensure good visibility. Use clearly marked and illumnated signage to micrate central hazards and restricted areas. Ensure all workers an appropriate personal protective equipment (PPE), including high-visibility clothing. Arrange for gular main plance and instructions of lighting equipment to prevent poor visibility. Descriptes a profic way ways and keep them free from clutter and obstructions. Trail all porkers of the importance of maintaining a clean and organised work area. Set underways be iers or warning tapes around any identified trip hazard areas until they are rectified. Conate and entry se a housekeeping schedule that includes frequent checks for trip hazards and immediate corrective action. 	1L
2. Site Assessment	Uneven ground, hidden obstacles	ЗН	 nduct a thorough site inspection before commencing work. Clearly mark or rope off areas with uneven ground. Use signage to alert workers of uneven surfaces and potential hazards. Wear appropriate footwear with non-slip soles. Utilise handheld GPS devices to map out safe pathways. Remove visible obstacles from the immediate work area. Use ground levelling tools and equipment to even out minor irregularities. Assign a spotter to guide machinery operators around hidden obstacles. Implement training sessions on recognising and avoiding ground hazards. Equip vehicles and machinery with all-terrain capabilities. Conduct regular maintenance checks on paths and access routes. Place portable lighting in poorly lit areas to improve visibility. Use high-visibility tape or paint to mark low-lying obstacles. Ensure emergency response procedures are in place for trips, slips, and falls. 	2M
3. Transport Mill to Site	Road accidents, heavy load shift	4A		2M



A. Unload Mill Crushing hazards, manbusing injuries A. A	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
4. Unload Mill Crushing hazards, manbourneing and Crushing hazards, manbourneing and continued to the control of the control	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE		SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
- Ensure the load distribution is even and to un the safe operating limits of the transport vehicle. - Verify that operators have the requisite to ling any load licenses for transporting heavy equipment. - Plan the route in advance, considering facts are not as road conditions, clearances, and potential hazards. - Implement a communication notocol for drivers are any issues or emergencies during transportation. - Utilise escent incides if milessar is manager series and provide additional clearance on narrow or busy roads. - Cat on tirego, mail mance checkson the transport vehicle, including brakes, tires, lights, and fluids. - Adh is a cityl to addimits specified for the transport vehicle to prevent axis overloading and maintain series in the control truring brasit. - Ensure has a significant and provide additional clearance on narrow or busy roads. - Cat on tirego, mail mance checkson the transport vehicle to prevent axis overloading and maintain series in the cityle of things specified for the transport vehicle to prevent axis overloading and maintain series in the cityle of the control truring brasit. - Crushing hazards, manbouring injuries - Crushing hazards, manbouring injuries - Adh is a cityle of the transport vehicle to prevent axis overloading and maintain series. - Cat on tirego, mail mance checkson the transport vehicle, including brakes, tires, lights, and fluids. - Adh is a cityle of the transport vehicle to prevent axis overloading and maintain series. - Cat on tirego, mail mance checkson the transport vehicle, including brakes, tires, lights, and fluids. - Adh is a cityle of the transport vehicle to prevent axis overloading and maintain series. - Cat on tirego, mail mance checkson the transport vehicle, including brakes, tires, lights, and fluids. - Adh is a cityle of the transport vehicle to prevent axis overloading and maintain series. - Cat on tirego, in the control of the transport vehicle to prevent axis overeading and maintain series. - Cat on tirego, in the control of t					
- Verify that operators have the requisite it in ting and additional disenses for transporting heavy equipment Plan the route in advance, considering fact is with as road conditions, clearances, and potential hazards Implement a communication, otocol for drivers in early any issues or emergencies during transportation Utilize escor wholes if in lessars, manager units and provide additional clearance on narrow or busy roads Care in tregul, manager annee checkson the transport vehicle, including brakes, tires, lights, and fluids Adh as fully to full limits specified for the transport vehicle to prevent axie overloading and maintain safe in indice. - Ensur he in this property covered with tarps or other protective covers to safeguard it against weather incent trums ansit. - Ensur he in the rus property covered with tarps or other protective covers to safeguard it against weather incent trums ansit. - Ensur he in the rus property covered with tarps or other protective covers to safeguard it against weather incent trums ansit. - Administration of the representation of t				- Use appropriate heavy-duty securing straps or the stransform to firmly anchor the mill to the transport vehicle.	
- Plan the route in advance, considering facts out of a road conditions, clearances, and potential hazards Implement a communication retocol for drivers care, any issues or emergencies during transportation Utilise escor whicles if no assats, manager, after any drovide additional clearance on narrow or busy roads Carl litregut, amanuance after any or vehicle, including brakes, tires, lights, and fluids Adh to a first but of allmits specified for the transport vehicle to prevent axie overloading and maintain safe in ad Ensure he in sis prop ally covered with tarps or other protective covers to safeguard it against weather ments turing ansit. - Crushing hazards, manburgaring and the properties of the transport vehicle to prevent axie overloading and maintain safe in ad Ensure he in sis prop ally covered with tarps or other protective covers to safeguard it against weather ments turing ansit. - ZM - Unload Mill - Crushing hazards, manburgaring and maintain safe in ad Plan the route in advance, considering facts out of correct of or drivers care, any pissues or emergencies during transportation Little escore whicles if no assats a manager after any provide additional clearance on narrow or busy roads Carl litregut manager after any six sus or emergencies during transportation Little escore whicles if no assats a manager after any provide additional clearance on narrow or busy roads Carl litregut manager after any six sus or emergencies during transportation Little escore whicles if no assats a manager after any provide additional clearance on narrow or busy roads Carl litregut manager after any pisses are any pisses are any pisses Carl litregut manager after any pisses are any pisses are any pisses Carl litregut manager after any pisses are any pisses Carl litregut manager after any pisses are any pisses Carl litregut manager after any pisses are any pisses Carl litregut manager after any pisses are any pisses Carl litregut manager after any pisses are any				- Ensure the load distribution is even and when the safe operating limits of the transport vehicle.	
4. Unload Mill Crushing hazards, manbalaning injuries A. Unload Mill A. Unload Mill Crushing hazards, manbalaning injuries A. Unload Mill Crushing hazards, manbalaning injuries A. When the second writed in personal provide additional clearance on narrow or busy roads. A. Unload Mill A. A. When the transport vehicle, including brakes, tires, lights, and fluids. A. A. A. In a prop, ally covered with tarps or other protective covers to safeguard it against weather ments turing ansit. A. A. When the prop, ally covered with tarps or other protective covers to safeguard it against weather ments turing ansit. A. Unload Mill				- Verify that operators have the requisite the sing and said licenses for transporting heavy equipment.	
4. Unload Mill Crushing hazards, manous aming injuries 3H Crushing hazards, manous aming injuries 4. Unload Mill Crushing hazards, manous aming injuries Crushing hazards, manous aming injuries 4. Unload Mill Crushing hazards, manous aming injuries Application of the transport webside to prevent axie overloading and maintain safe in bd. 2. Ensure he in the provisity covered with tarps or other protective covers to safeguard it against weather ment sturing grasit. 2. Manual distribution of the protective covers to safeguard it against weather ment sturing grasit.					
4. Unload Mill Crushing hazards, manual sing injuries Trushing hazards, manual sing injuries Atherwise the transport wehicle, including brakes, tires, lights, and fluids. - Adh. as actily to ad limits specified for the transport vehicle to prevent axie overloading and maintain safe in dil. - Ensur he ha is pros. By covered with tarps or other protective covers to safeguard it against weather ment furnish ansit. 2M					
-Adh a victy to vid limits specified for the transport vehicle to prevent axie overloading and maintain safe hildEnsure he no is propuly covered with tarps or other protective covers to safeguard it against weather sment. Suring ansit. 2M Crushing hazards, manual aming injuries 3H Crushing hazards, manual aming injuries 3H Adh a victy to vid limits specified for the transport vehicle to prevent axie overloading and maintain safe hildEnsure he no is propuly covered with tarps or other protective covers to safeguard it against weather sment. Suring ansit. 2M					
4. Unload Mill Crushing hazards, manuar and injuries 3H Crushing hazards, manuar and injuries 3H And the sensur her no is pros, ny covered with tarps or other protective covers to safeguard it against weather someth furing, sansit. 2M				- Car tregular main nance checks on the transport vehicle, including brakes, tires, lights, and fluids.	
4. Unload Mill Crushing hazards, manual ming injuries 3H 2M				- Adh, a lictly to ad limits specified for the transport vehicle to prevent axle overloading and maintain safe handle.	
4. Unload Mill injuries					
5. Setup Mill Pinch points crushing hazards 3H	4. Unload Mill		ЗН		2M
o. Cotap min 1 mon pointo, ordoning hazardo OH	5. Setup Mill	Pinch points, crushing hazards	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Inspect Equipment	Faulty equipment, missing safety features	3Н		2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Position Log	Manual handling injuries, slipping			2M
8. Winch Log	Winch failure, snapping cable	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Secure Log	Log rolling, falling on,	ЗН		2M
10. Adjust Mill Settings	Mechanical malfunction, pinch points	3H		2M







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Monitor Milling	Flying debris, pinch points	ЗН		2M
13. Handle Milled Timber	Splinters, manual handling injuries	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Stack Timber	Falling timber, improper stacking	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Clean Up Site	Debris, sharp objects	2M		1L
16. Load Remaining Timber	Crushing hazards, manual handling injuries	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Transport Timber for Storage	Load shift, road a Juents	4A		2M
18. Conduct Final Equipment Check	Faulty equipment, missing tools	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Final Debris Removal	Trip hazards, heavyrg	2M		1L
20. Depart Site	Poor site conditions, road hazards	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAI RISK
	<u> </u>			
	G			·



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE. N ANY STATEMENT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library.

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 201

Work Health and Safety (National Uniform Legislation) Regulations 26

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/prkplace/fety-la

Codes of Practice NT: https://worksafe.nt.gov.av and-reso pes des ractice

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (S

Legislation for SA: https://www.safework.sa.gov.au/resources gislation

Codes of Practice for SA: https://www.safework.sa.gov.au/w/wplaces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Ocupational Health Safety A 2004

Octational Health an Safe* regulations 2017

- Legis ion VIC: https://www.orksafe.vic.gov.au/occupational-health-and-safety-act-and-
- des of actice VI attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN 'THIS 'S' ITEM ON MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remain effect, and must be reviewed (and revised if necessary) if relevant control measures are revised. The view should be carried out in consultation with workers (including contractors as an intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBD mest ensure the advised that a revision has been made and how they can accept the revised SWMS, including all persons who will need to change a work procedure or system as a remotified the review are advised of the changes in a way that will enable them to implement their duties the thing with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SV. 5.		
SWMS initial risk (IR) column as well as residual risk (RR) column ampleted.		
Check control measures added to the SWMS are the most effective sections.		
Responsible person is assigned and listed on the high centary of control measures.		
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.		
SWMS identifies plant and equipment to be		
Details of inspection checks required for any equipment lister are noted on the SWMS.		
Describes any mandatory qualifications, experience, ang or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED