Working Over 2 Meters on Top of Cold	Room and Freezer   SAFE	WORK METHOD STATEME	NT (SWMS)
TASK OR ACTIVITY: W	/orking Over 2 Meters on Top of	Cold Room and Freezer	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD		THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.	ucting a business or und ring (Pu U)	is required to end of that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitorin	compliance of the SWN, as well as	reviews and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS	NA OF ALL RELEVANT PERSON EVELOPMENT AND APPROVAL C	INEL WHO HAVE BEEN CONSULTED AND OF THIS SWMS	COMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched, ed in according e with egislative requirements to first identify any site hazards, and the to control the those hazards and then to further take steps to either eliminate or control l each hazard.			
If an incident or a near miss occurs, all work must store an ediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
☐ involves a risk of a person falling more than 2 meters	d is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
□ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integrity structure	$\Box$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing as the set of the	□ involves tilt-up or precast concrete
involves structural alteration or repair the requires to prary support to prevent collapse	$\Box$ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
□ is carried out in/near a shaft or trench deeper the first or tunnel involving use of explosives	$\Box$ is carried out in areas with artificial extremes of temperature.
$\Box$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX											
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	800DF	ACTION		HEIRARCHY OF CONTROLS			
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE	ACTION		Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution			
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.			
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard			
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and key recorde		Engineering Isolate the hazard.			
is the second m	RARE       1 LOW       1 LOW       2 MODERATE       3 HIGH       1 HIGH       1 HIGH       1 LOW       Minitor and k.       Minitor an											

		Select the an	propriate PPL	PERS	VAL TEC	TIVE EQUIPM oment used or	ENT (PPE) the iob task	being perfor	med (if applica	able).		
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION			RL SPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED	
Other PPE R	Required:					_						
	P	ermit or Lice	nses Requiren	nents			Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slip, Trip	2М	<ul> <li>Install guardrails or temporary fencing around the work area to prevent falls</li> <li>Use non-slip footwear and ensure the sum is drawn free of ice or condensation</li> <li>Provide adequate lighting in and around the succarea to identify any potential trip hazards</li> <li>Ensure all tools and materia are securely store when mean use to prevent tripping</li> <li>Conduct a thorough interction if the work area for any existing slip, trip, or fall hazards before commencing we</li> <li>Use safety har esses and all arrest interview per industry standards and ensure they are properly fitted and intercted.</li> <li>Mark intervalkway and designate specific areas for working to minimise the risk of trips</li> <li>Remove of address any clutter in the work zone that could cause tripping</li> <li>Implement if a normit-too ark system to control who is authorised to be in the work area and when</li> <li>Neularly communicate and reinforce safety procedures related to slips, trips, and falls during toolbox talks on builtings</li> <li>Istall saredy signage to warn of slippery surfaces and falling risks</li> </ul>	1L
2. Inspection	Fall from height, Structural integrity	ЗН	<ul> <li>Ensure all personnel are trained in working at heights and aware of the risks involved.</li> <li>Conduct a pre-work inspection to assess the structural integrity of the cold room and freezer roof.</li> <li>Use fall prevention systems such as guardrails, barriers, or temporary edge protection when possible.</li> <li>Implement a fall arrest system with full-body hamesses and secure anchor points if guardrails are not feasible.</li> <li>Regularly inspect and maintain fall arrest and restraint equipment before use.</li> <li>Clearly mark and secure any fragile surfaces or areas with limited load-bearing capacity.</li> <li>Establish and enforce exclusion zones beneath the work area to protect people from falling objects.</li> <li>Verify weather conditions to ensure that they do not increase risk factors, like wind or rain.</li> <li>Have an emergency rescue plan and appropriate first aid equipment accessible at the worksite.</li> <li>Conduct a site-specific risk assessment prior to commencing work to identify other potential hazards.</li> <li>Supervise the work activity to ensure adherence to safety protocols and immediate rectification of unsafe practices.</li> </ul>	2М
3. Setup Ladder	Incorrect ladder setup, Slip	3Н	- Ensure ladder is placed on a stable and level surface to prevent wobbling - Use a ladder with non-slip feet to reduce the risk of slipping	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Verify ladder's weight capacity matches or exceeds the task requirements	
			- Always maintain three points of contact while ascending or descending the ladder (two hands and one foot or two feet and one hand)	
			- Secure the top of the ladder to the cold report or freezer structure if possible, using straps or an appropriate securing device	
			- Inspect ladder for any damage or wear being rung rung rungs, side rails, and locking mechanisms	
			- Position the ladder at an at the where its base to pace froot away from the wall for every 4 feet of height (4:1 ratio)	
			- Do not overrease or lease to fail ut from the 'cdder; instead, reposition the ladder closer to the work area if need	
			- Wear pprop te nor p footwear peduce the chance of slipping on ladder rungs	
			- Ensure lado, extends at least 1 meter above the top surface of the cold room or freezer to provide a sturdy an hold for hounting and dismounting	
4. Accessing Roof	Falling, Ladder stability	4A		2М






Version 2.5





Version 2.5





Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Communication	Miscommunication, Emergency signals	2М		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Site Security	Unauthorized access, Poor lighting	ЗН		2М
13. Emergency Procedures	Lack of first aid, Emergency response delay	4A		2М





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				I
				1
16. Debriefing	Insufficient briefing, and hazard	≥M		1L
				1
17. Documentation	Incomplete records, Data inaccuracies	2M		1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Waste Disposal	Sharp objects, Chemical exposure	ЗН		2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Transporting Equipment	Loading injuries, Vehicle movements	ЗН		2M
20. Final Inspection	Missed defects, Verification errors	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				-
	C			

#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCE IN ANY STATISTICATION AND APPLICABLE				
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acce004 Occupational Health and Safety Acce004 Legis vion VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- ogulations</u> Hes on Practice VI <u>outtps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>			
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legis">https://www.safework.nsw.gov.au/legal-obligations/legis</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library">https://www.safework.nsw.gov.au/legal-obligations/legis</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>			
Northern Territory Work Health and Safety (National Uniform Legislation) Act 201 Work Health and Safety (National Uniform Legislation) Regulations 200 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.prkplate_fety-la</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance.presticates_practice</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>			
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (S. Legislation for SA: <u>https://www.safework.sa.gov.au/resources.gislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/re_oplaces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes			
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>			
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>			

#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK THE S ATEM AT MONITORING AND REVIEW The SWMS must be reviewed regularly to make sure it remain effect. and mu be reviewed (and The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are revised if necessary) if relevant control measures are revised. The s should be carried out in effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The view consultation with workers (including contractors person responsible for monitoring the effectiveness of the Safe Work Method Statement should ntractors nay be cted by the operation of the SWMS and their health and safety representatives who rep sented that work group at the employ a multi-faceted approach which includes but is not limited to: workplace. 1. Spot Checks. When the SWMS has been revised the PCBU must ensure the all versons involved with the work are 2. Consultation with workers, contractors and sub-contractors. advised that a revision has been made and how they can acce the revised SWMS, including all persons 3. Internal audits on a continual basis who will need to change a work procedure or system as a reof the review are advised of the changes in a way that will enable them to implement their duties ntly with the revised SWMS. All workers that An approach of continuous improvement, promptly recording inconsistencies or deficiencies, will be involved in the work must be provided with the relevant information and instruction that will assist followed up by immediate corrective action and consultation with all relevant personnel ensures them to understand and implement the revised SWMS. that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7	
NAME								
INITIALS								
DATE								

#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.	$\boxtimes$	
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the Sλ. S.	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	$\boxtimes$	
Check control measures added to the SWMS are the most effective sections.	$\boxtimes$	
Responsible person is assigned and listed on the spiral of the spiral entry of control measures.	$\boxtimes$	
Permit or licenses requirements specified, so in as Hot Work, Electrical Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be	$\boxtimes$	
Details of inspection checks required for any equipment lister are noted on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, ang or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\square$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMP	LETED